



# Most Popular Items

YOUR SINGLE-SOURCE SUPPLIER

<b>LIQUIDS:</b>	
Cleaners and Degreasers	3
Cleaning Aids	4
Enzymes	5
Disinfectants/Deodorants	6
Insecticides/Herbicides	7
Hand Cleaners/Soaps	8
Carpet & Floor Care	9
Automotive	10
Greases & Lubricants	10
<b>EXPRESS WIPES</b>	11
<b>GREENSCAPES</b>	12
<b>INDUSTRIAL MAINTENANCE LIQUIDS:</b>	
Lubricants	13
Coil Cleaners	14
Metal Treatment	14
Specialty	14
<b>AEROSOLS:</b>	
General Purpose Cleaners	15
Polishes	16
Carpet/Upholstery/Floor Care	17
Disinfectants	18
Air Fresheners & Deodorizers	18
Insecticides/Herbicides	19
<b>INDUSTRIAL MAINTENANCE AEROSOLS:</b>	
Degreasers	20
Lubricants	22
Penetrates	23
Metal Treatment	23
Coil Cleaners	24
Adhesives	24
Grease	25
Contact Cleaners	25
Specialty	26
Automotive	26
	27
<b>FOODSERVICE</b>	28
<b>POWDER</b>	29
<b>EQUIPMENT</b>	29

# LIQUIDS

## CLEANERS & DEGREASERS

### 2640 - ZIP

#### Citrus Cleaner and Degreaser

ZIP is a multi-purpose cleaner and degreaser. Use diluted up to 1:20 for most cleaning jobs. Quickly cleans walls, floors, machinery, vinyl and carpets. Apply with a sponge, mop or sprayer. Contains strong cleaners, emulsifiers, penetrants, wetting agents and soil suspension agents. Non-flammable. Can be used to clean grease, grime, oil, soot, food, dirt, mud, ink, carbon and lipstick from floors, walls, ceilings, sinks, painted woodwork and many other surfaces. Perfect for use in restaurants, hotels/motels, apartments, industrial plants, offices, schools, drilling rigs and stores.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2660 - DYNAMITE

#### Butyl Cleaner

DYNAMITE is a heavy-duty cleaner and degreaser. Can be diluted up to 40:1 with water. Use for general purpose cleaning. Powerful formula removes even the toughest soils. Dissolves dirt, grease, oil and most other soils quickly and easily. Safe to use on painted surfaces, metals and other inanimate objects. Contains no caustics, acids or abrasives. Can be used in steam cleaners, warm or cold water and rotary machines. Also used for cleaning carpets, walls and industrial machinery. Contains solvents, detergents, emulsifiers, wetting agents, sequestering agents, penetrants and corrosion inhibitors. Areas of use include restaurants, hotels/motels, apartments, industrial plants, offices, schools, drilling rigs and stores.

**HMIS Ratings: H-2, F-0, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2670 - POWER SOLV

#### Butyl Cleaner

POWER SOLV is a multi-purpose butyl cleaner. Can be diluted up to 20:1 with water. Quickly cleans walls, floors, machinery, vinyl and carpets. Removes grease, oil, dirt, grime, carbon, soot, ink, food and most other soils from concrete, carpeting, linoleum, ceilings, walls, painted surfaces and metal surfaces. Areas of use include restaurants, hotels/motels, apartments, industrial plants, offices, schools, drilling rigs and stores. Rinses completely and quickly from all surfaces. Contains strong cleaners, emulsifiers, corrosion inhibitors, penetrants, wetting agents and soil suspension agents. Contains no caustics, acids or abrasives. Non-flammable.

**HMIS Ratings: H-2, F-0, R-0, P-C.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2740 - GETAWAY

#### Degreaser and Oil Dispersant

GETAWAY is a concentrated non-butyl cleaner. Use full strength for extra tough cleaning jobs or dilute up to 128:1 for general purpose cleaning. Equally effective in hard or soft, cold or warm water. Use to clean grease, grime, oil, dirt, lipstick, road film, soap scum, oil spills, ink. Areas of use include schools, industrial plants, restaurants, hotels/motels, refineries, offices and oil rigs. Also use to clean up oil spills on waterways, lakes, oceans and around drilling rigs. Effective for steam cleaning and power washing. Excellent bilge cleaner.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2750 - MAXI GLO

#### Light-Duty Neutral Cleaner

MAXI GLO is an all-purpose, light-duty, non-butyl, neutral cleaner. Dilutes up to 128:1 with water. Cleans all surfaces including tile, terrazzo, porcelain, marble, concrete, wood, enamel and metal. Also for cleaning glass windows. Con-

tains surfactants, emulsifiers and wetting agents to clean oil, grease, grime, dirt, inks and most other soils. Will not harm any surface not harmed by water. Excellent for mopping floors coated with wax or floor finish; will not remove or harm floor coatings. Effective in hard water. Pleasant cherry fragrance.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2780 - CLEANER DEGREASER

CLEANER DEGREASER is an economical, environmentally preferred cleaner and degreaser. Quickly flushes away grease, oil and other soils. Safe for use on all metals. Contains no ozone depleting compounds or chlorinated solvents. Leaves no residue. For use on engines, filters, walls, floors, machinery, barges, bilge pumps and equipment. Useful for steam-cleaning, pressure washing, engine cleaning and thousands of other uses including industrial plants, schools, motels/hotels, restaurants, oil fields, aviation and automotive. Economical. Biodegradable and non-flammable. Versatile. Can be used for brush, mop, manual, power spray and steam cleaning. Mild fragrance.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 3700 - PALMER PINE

#### Cleaner

PALMER PINE combines cleaning agents, wetting agents and pine oil to create an industrial strength cleaner to handle tough grease, grime, dirt, oil and other common soils. Readily emulsifies in hard or soft water. Pleasant fragrance remains long after use, aiding in odor control. May be used on floors, walls, marble, plastic, tile, concrete, brick and other hard surfaces. Degreases, deodorizes and cleans with environmentally safe ingredients. Dilute 8 ounces per gallon of water for general cleaning. May be used full strength for tough jobs. As a laundry booster and deodorizer, add 1/2 cup to wash water with regular detergent. Use as a general purpose cleaner, degreaser and deodorant on floors, walls, marble, plastic, concrete, brick, porcelain fixtures, counter tops, ceramic tile and other washable surfaces. Recommended for schools, hospitals, veterinarians, offices, airports and industries.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 3780 - ORANGE SOLV PLUS

#### Organic Citrus Degreaser and Deodorizer

ORANGE SOLV PLUS contains 100% organic ingredients from natural sources, combining a naturally occurring citrus solvent, surfactants and emulsifiers to mix readily with water. Replaces petroleum based products, chlorinated solvents and butyl cellosolve to clean and degrease engines, printing presses, lift stations, sewage plants, farm equipment and industrial machinery. Removes adhesives, soap scum, tar and chewing gum. Unclogs and keeps drains running freely. Excellent graffiti remover. No caustics, acids, or phosphates. Biodegradable. Use to clean molds, dies, industrial equipment, drilling rigs, pipes, grease traps, unpainted concrete and brick. Removes scuff marks and rubber tire marks. Spot cleaner and gum remover for carpets.

Removes industrial glues, tar and asphalt from many surfaces. May damage some plastics and painted surfaces. Test in an inconspicuous area prior to use. Citrus fragrance.

**HMIS Ratings: H-1, F-2, R-0, P-B.**

Available in 12 x 20 oz. cans, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 6006 - UNPLUG

#### Fast Evaporating Industrial Degreaser

UNPLUG removes oil, grease, tar and lubricants. Solvents evaporate completely leaving no residues on cleaned surfaces. For use on: circuit boards, electrical contacts, electric motors, machinery parts, electronic equipment,



molds, textiles and more. For use in: automotive repair shops, electric services, electrical contracting, electronic computing equipment, fabricated metal products, heating and air conditioning services and more. Non-chlorinated. Due to VOC regulations, this product is not available for sale in California, Connecticut, Maryland, Pennsylvania, New Jersey, Ohio, Massachusetts, Maine, Michigan, New York, Delaware, Virginia, the District of Columbia, New Hampshire, Illinois, Indiana and Utah.

**HMIS Ratings: H-1, F-3, R-0, P-B.**

Available in 5 or 6 gal. pails and 55 gal. drums.

## 6008 - HI POINT Industrial Degreaser

- Long Dwell Time
- High Flash Point
- Non-Flammable
- Biodegradable
- No VOC's (Based on CARB rules and methods)

HI POINT is an industrial degreaser for use where high flash point is required or when extended contact time is necessary. Use to clean electrical contacts, circuit boards, machines, electric motors, electronic equipment, machine parts, and heavy oil from equipment.

**HMIS Ratings: H-1, F-1, R-0, P-B.**

Available in 5 or 6 gal. pails and 55 gal. drums. Private label only.

## 6110 - QUIKLEEN II Solvent Cleaner

QUIKLEEN II is a non-flammable solvent cleaner. Has no flash point at any temperature. Medium evaporation—leaves no residue. Quickly dissolves grease, oils, soil and dirt. Areas of use include industrial plants, machine shops, institutions, automotive industries and hospitals. Specially formulated for use on electric motors even while running, gas engines, machinery, circuit boards, ignition systems, generators, power tools and electronic equipment. Has a dielectric strength of 29,000 volts. Contains no Carbon Tetrachloride or 1,1,1 Trichloroethane.

**HMIS Ratings: H-2, F-0, R-1, P-G.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums. Gallons are private label only.

## 6130 - TAR AWAY Heavy-Duty Tar, Grease & Oil Remover

TAR AWAY is a USDA authorized super strong tar, asphalt, grease and oil remover. May be used as is or diluted with water or aliphatic solvent. Quickly dissolves and emulsifies grease, tar, asphalt, varnishes and oils. Can be rinsed away with water, leaving surfaces, parts, and equipment clean. Areas of use include machine shops, repair shops, pipe yards, drilling rigs and industrial plants. Formulated for use on equipment, machinery, tools, floors, pipe fittings, walls, trucks and cars. Fast acting, easy to apply.

**HMIS Ratings: H-2, F-2, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums. Gallons are private label only.

# CLEANING AIDS

## 2710 - BLUE MAGIC Concentrate Glass Cleaner

BLUE MAGIC is a concentrated, non-ammoniated glass cleaner. Can be diluted up to 10:1. Cleans glass, porcelain, tile and vinyl. Removes grease, grime, oil, ink, lipstick, dirt, road film and mud. Combines emulsifiers, surfactants and solvents to give rapid cleaning action. Spray on and wipe off. Can also be used effectively as windshield washer solvent and as a light-duty freezer cleaner. For use in schools, industrial plants, restaurants, hotels/motels, offices, stores and automobile dealers.

**HMIS Ratings: H-1, F-2, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

## 2790 - RADIANCE Stainless Steel Cleaner & Furniture Polish

RADIANCE is an oil-based blend of cleaning and polishing agents. Leaves surfaces clean and sparkling with a light, protective film. Removes light soil, fingerprints and smudges. Prevents corrosion and rusting. Pleasant lemon fragrance. Won't discolor with age or repeated applications. Excellent on stainless steel, chrome, aluminum, furniture and cabinets.

**HMIS Ratings: H-0, F-1, R-0, P-A.**

Available in 4 x 1 gallons.

## 2800 - GLEAM Non-Ammoniated Glass Cleaner



GLEAM cleans glass, porcelain, tile and vinyl. Dries quickly, leaving no residue behind to streak cleaned surfaces. Leaves glass sparkling. Removes oil, greasy fingerprints, bugs, lipstick and other soils found on glass surfaces. Combines emulsifiers, surfactants and solvents to give rapid cleaning action. Spray on and wipe off.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

## 2830 - TUFSTUFF Oven and Grill Cleaner

TUFSTUFF is a caustic-based oven and grill cleaner. Extra thick liquid adheres to all surfaces without running to insure complete penetration and cleaning of cooking surfaces. Restores cooking surfaces to original shine. Removes even the most stubborn cooked-on food, grease and baked-on carbon. Works by saponification of baked-on fats and oils and the dissolution of carbon. For use on stoves, ovens, rotisseries, drip pans, hoods, barbecue grills, pots and pans and cooking utensils. Areas of use include restaurants, schools, cafeterias and lunchrooms. NOTE: Do not use on aluminum, galvanize, copper, painted surfaces, continuous or self cleaning ovens. Wear safety glasses and gloves during use.

**HMIS Ratings: H-3, F-0, R-1, P-B.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

## 2880 - VIZOL 26 Toilet Bowl Cleaner

VIZOL 26 is an acid bowl cleaner, containing 26% Hydrochloric Acid. Use on toilet bowls and urinals made from vitreous china. Blend of acid and emulsifiers removes stains, scale, uric salt buildup, water spots and rust. Deodorizes, leaving bowl clean and fresh. Areas of use include restaurants, schools, hotels/motels, industrial plants, factories, warehouses, offices, prisons, child day care facilities and apartment complexes. NOTE: Limit contact time on porcelain to only a few minutes. Do not allow to come into contact with carpet, marble or terrazzo, or metal surfaces, damage may result.

**HMIS Ratings: H-3, F-0, R-1, P-B.**



Available in 12 x 1 quarts

## 2890 - PT-100 Tub and Tile Cleaner

PT-100 is an acid and solvent based tub and tile cleaner. Contains wetting agents, emulsifiers, chelating agents and solvents to cut soap scum and scale off all tile surfaces. Safe on stainless steel and chrome. Penetrates deep for fast cleaning. Leaves surface clean and sparkling. For use on tile, sinks, shower stalls, formica, bathtubs, fiberglass and porcelain. Areas of use include restaurants, hotels/motels, factories, hospitals, sports facility locker rooms, clubhouses and apartment complexes. Leaves a minty fragrance.

**HMIS Ratings: H-2, F-0, R-1, P-B.**

Available in 12 x 1 quarts

## 2910 - GRIP Thick Phosphoric Acid

GRIP is a phosphoric acid based tile, porcelain, fiberglass and toilet bowl cleaner. Descales, delimes and removes rust, stains, hard water deposits and

metallic soap scums. Safe on chrome. Excellent brass, bronze and copper cleaner. Thick clinging action assists in easy removal of undesirable stains and deposits, eliminating the need for abrasive cleaners. Deodorizes as it cleans. For use on tile, sinks, shower stalls, formica, toilet bowls, steam tables, counter tops, drinking fountains, swimming pools and cooking kettles. Areas of use include restaurants, hotels/motels, schools, hospitals, offices, clubhouses and apartment complexes. Pleasant cherry fragrance.

**HMIS Ratings: H-2, F-0, R-1, P-B.**

*Available in 12 x 1 quarts.*

### 2940 - BANG!

#### Non-Fuming Acid Cleaner Alternative

BANG! is a special blend of mild surfactants and organic salts that produces a cleaner as strong as mineral acid, yet is mild like hand soap. This non-fuming acid replacement product can be used for the toughest cleaning jobs and is much safer than hydrochloric and phosphoric acid based cleaners. Apply with sprayer or wipe on with cloth or sponge. Removes soap scum, lime deposits, grease, grime, rust, discoloration, mineral deposits such as calcium (hard water deposits) and other types of soils. Use on stainless steel, copper, brass, aluminum, concrete, ceramic tile, porcelain, stone, brick, fiberglass, grout. For use in bathrooms, kitchens, restroom facilities in schools, industrial facilities, public venues, hotels, motels, sporting arenas.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

*Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.*

*Gallons are private label only.*

### 2950 - PINK DISHWASH

#### Concentrated Dishwashing Detergent

PINK DISHWASH is specially formulated for sparkling clean dishes and spot free glasses. This product is lotionized with delicate skin conditioners to prevent skin dryness and cracking. No harsh alkalis to irritate skin. Provides a controlled pH. Performs well in hard water. Leaves no scum or film on utensils when rinsed well. May also be used on fine fabrics such as lingerie, nylons and woolens. Excellent for use in restaurants, hotels/motels, hospitals, institutions, schools and homes. Works great on dishes, cooking utensils, pots, pans, sinks, counter tops, stove tops and food preparation areas.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

*Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.*

### 3000 - OPEN UP

#### Alkaline Drain Opener

OPEN UP is a powerful ready to use caustic drain opener and maintainer. This product will clear clogged drains of hair, paper, grease, oil and other organic matter. Works within minutes. Keeps drain lines open and thus reduces mal-odors generated by rancid material. The caustic chemicals convert grease-like matter from hard, insoluble material to soapy, water soluble material. May be used on vitreous china or porcelain. No fumes or offensive odor. For unclogging drains and pipes in restaurants, apartment buildings, water treatment plants, factories, hotels/motels, schools and offices.

**HMIS Ratings: H-3, F-0, R-1, P-C.**

*Available in 12 x 1 quarts, 5 or 6 gal. pails and 55 gal. drums.*

### 3010 - TACKLE

#### Rust, Calcium & Lime Deposit Remover & Grout Cleaner

TACKLE removes iron, calcium and surface rust stains from glass, chrome, fiberglass, stainless steel, porcelain, cement, brick, stucco, tile, and much more. Removes rust discoloration stains from fabric and carpeting. Removes water deposits in coffee makers. Excellent grout and tile cleaner. Note: Test product for colorfastness in an inconspicuous area prior to using on fabric or carpet. Avoid prolonged contact on any surface (2 minutes maximum). Neutral odor. Excellent for use on glass, chrome, fiberglass, stainless steel, porcelain, cement, brick, stucco, tile, toilet bowls, sinks, counter tops, bathtubs, shower walls and doors, coffee makers, fabric and carpet. For use in bathrooms, kitchens, schools, restaurants, industrial facilities, public venues, and many more.

**HMIS Ratings: H-2, F-0, R-0, P-B.**

*Available in 12 x 1 pints, 5 or 6 gal. pails and 55 gal. drums.*

### 3500 - SKIDEW

#### Mildew Stain Remover

SKIDEW is designed to quickly remove mold and mildew stains on contact without scrubbing. No dilution required, eliminating mess and waste. Skidew contains sodium hypochlorite to work where conventional cleaners won't. Also contains a fresh pine fragrance. Use regularly to prevent stains from coming back. For use on bathroom tiles, grout, painted surfaces, brick, concrete, shower curtains, stalls, mats, awnings and vinyl canopies, auto and boat vinyl tops, tents, equipment, outdoor furniture, ceilings, walls and poolside areas. See label for detailed precautions. Areas of use include homes, offices, factories, sports and recreation facilities, pool service companies and hotels/motels.

**HMIS Ratings: H-2, F-0, R-2, P-C.**

*Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.*

*Gallons are private label only.*

## ENZYMES

### EARTH SCENTS

#### Enzyme Treatment for Organic Waste

EARTH SCENTS contains powerful waste digesting enzyme-producing bacteria to break down organic material into water soluble nutrients. The bacteria digest the released nutrients, multiply and continue producing enzymes to continually clean and deodorize areas where organic waste is present. May be used to remove pet stain odors and other organic based odors from carpeting, upholstery and other fabrics. Digests and liquefies organic waste, grease and food. Areas of use include wastewater treatment plants, septic tanks, portable toilets, RV holding tanks, restaurant grease traps, kennels, hospitals, homes, offices, hotels/motels, prisons, funeral homes and apartments. Will not harm carpeting, upholstery or other textiles. Safe for all types of plumbing. Non-toxic. Non-alkaline. Non-pathogenic. Non-polluting. Reduces suspended solids.



**HMIS Ratings: H-0, F-0, R-0, P-A.**

*Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.*

**2590 Plumeria Scent\***

**2850 Berry Scent**

**2600 Cucumber Melon Scent\***

**2860 Cherry Scent**

**2690 Pina Colada Scent\***

**2870 Eucalyptus Scent\***

**2760 Linen Scent\***

**2920 Neutral Scent**

**2840 Citrus Scent**

*\*Private Label Only*

### 2960 - DIGEST PLUS

#### Enzyme Producing Non-Pathogenic Bacteria

DIGEST PLUS is a concentrated blend of living aerobic and anaerobic bacteria specially selected and adapted for their ability to produce large amounts of amylase, protease, cellulase and lipase enzymes which are important in degrading common sanitary wastes. The bacteria are considered "new generation" and are impervious to bleach, disinfectants and acids. Use in drains, grease traps and septic tanks to quickly degrade wastes and reduce odors. Non-acid, non-alkaline, non-corrosive. Will not harm plumbing fixtures or garbage disposals. Note: Product performs best within a pH range of 5.5-8.5 and a temperature range of 50-100°F. Extremes of pH and temperature, as well as wide shifts in either parameter over a short period of time should be avoided. Cold re-



duces the effectiveness of the product and no bacteria activity can be expected below 40°F.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

**2900 - DRAIN DEMON**  
Thickened Enzyme Treatment

Unique thickened formula clings to sides of pipes and drain lines, increasing contact for more effective treatment. Digests and liquefies organic waste, grease and food by-products in hospitals, nursing homes, schools, prisons, funeral homes, apartments, kennels, clinics, porta-toilets, marinas, recreational vehicles, and septic tanks. Also great for deodorizing carpet. Pleasant fragrance. Non-toxic, non-acid, non-alkaline, non-polluting, non-pathogenic, biodegradable. Contains seven strains of non-toxic bacteria. Note: This product performs best within a pH range of 5.5–8.5. Optimal temperature range for maximum effectiveness is 54°–113°F; effective up to 212°F. Extremes of pH and temperature, as well as wide shifts in either parameter over a short period of time should be avoided. Cold temperatures reduce the effectiveness of the product and no bacteria activity can be expected below 40°F.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 12 x 1 quarts



general purpose cleaning and disinfecting. Contains synthetic detergents, emulsifiers, water softening agents, builders, corrosion inhibitors and two quaternary ammonium germicides. EPA registered. Kills Staphylococcus aureus, Staphylococcus aureus-Methicillin-Resistant (MRSA), Trichophyton interdigitale, Adenovirus Type 3, Vaccinia, Influenza A/Texas, Herpes simplex Type 1 and HIV-1 (AIDS virus). Kills Pandemic 2009 H1N1 influenza A virus. Dilute 2 ounces of germicidal cleaner per gallon of water for effective disinfecting. Controls mold and mildew growth. For use on bathroom tiles, grout, painted surfaces, brick, concrete, shower curtains, stalls, mats, awnings, vinyl canopies, auto and boat vinyl tops, tents, equipment, outdoor furniture, ceilings and walls and poolside areas. See label for detailed precautions. Areas of use include homes, offices, factories, sports and recreation facilities, pool service

companies and hotels/motels.

**HMIS Ratings: H-1, F-0, R-1, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

- 3530 QD-64 Lemon Fragrance
- 3540 QD-64 Mint Fragrance

- 3550 QD-64 Pine Fragrance
- 3560 QD-64 Fresh Fragrance

**3570 - ENCORE**  
Germicidal Cleaner and Deodorant

ENCORE contains four strains of ammonium chloride to protect from and aid in the reduction of cross contamination of broad spectrum Gram negative and Gram positive organisms. EPA registered. Effective against HIV-1 (AIDS virus), Trichophyton mentagrophytes (Athlete's Foot fungus), Staphylococcus aureus-Methicillin-Resistant (MRSA), Pandemic 2009 H1N1 influenza A virus and many other organisms. This ready to use disinfectant, cleaner, fungicide, mildewstat, virucide and deodorizer is a non-acid bathroom cleaner with broad claims and outstanding performance. Pleasant floral fragrance leaves areas smelling fresh and clean. DO NOT USE ON NEW OR UNTREATED GROUT. For use on porcelain, ceramic tile, fiberglass, formica, urinals, sinks, toilets, shower stalls, walls, floors and counter tops. Areas of use include hospitals and nursing homes, physicians' offices, schools, sports and recreational facilities, offices, airports, beauty shops, janitorial services, retail areas, convenience stores, public areas and many others.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums. Gallons are private label only.

**3580 - FINAL QUAT**  
Disinfectant, Sanitizer, Germicide and Deodorant

FINAL QUAT is a concentrated, multi-purpose, disinfectant, sanitizer and deodorant. It is designed primarily for markets requiring a no-rinse sanitizer in food contact application. For use in hospitals, nursing homes, schools, colleges, veterinary clinics, equine farms, pet shops, airports, hotels and dairy farms. Approved for use in federally inspected meat and poultry establishments, agricultural facilities, beverage plants and food processing plants. Final Quat is a 150 ppm quat sanitizer. No rinsing is required when used as a sanitizer. This non-acid formula is phosphate free.

**HMIS Ratings: H-1, F-0, R-1, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

**3590 - CHERRY COUNTERACTANT**

CHERRY COUNTERACTANT is a powerful cherry fragrance odor eliminator. Neutralizes odors at their source and in the air. Eliminates bathroom odors, smoke, cooking odors, garbage area odors, pet odors, locker room odors, odors in hospitals, attics, basements and many others. Use as a space spray to eliminate odors in the air. Use as a surface spray to eliminate odors on tile, porcelain, formica and other washable surfaces. Add to mop water, or add to hot water extraction carpet cleaning systems. Non-flammable, biodegradable, non-staining formula. Areas of use include janitor carts, homes, offices,



## DISINFECTANTS/DEODORANTS

**2930 - GERM AWAY**  
Foaming Germicidal Cleaner II

GERM AWAY is designed for general cleaning and disinfecting. When used as directed, this EPA registered product is formulated to disinfect inanimate hard surfaces. Germ Away demonstrates effective disinfection against staphylococcus aureus, salmonella enterica and pseudomonas aeruginosa, thus meeting requirements for hospital use.

Efficacy tests have demonstrated that it is an effective one-step cleaner-disinfectant in the presence of organic soil (5% blood serum). This broad spectrum germicide is an excellent convenience product for a variety of cleaning tasks. Ready to use. Provides convenience to the end user with a one-step formulation. Clinging foam allows prolonged contact time on any surface. Quart-size containers enable end users to comply with OSHA end use labeling requirements. Formulated for use in hospitals, nursing homes, schools, hotels/motels, office buildings, child care centers, food establishments and many other areas. Cleans and disinfects walls, sink tops, bathtubs, shower stalls, floors, toilets, drinking fountains and other inanimate hard surfaces. Leaves pleasant floral fragrance.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

**3070 - FIESTA RTU MULBERRY**  
Odor Counteractant

FIESTA RTU Odor Counteractant chemically works to neutralize unpleasant odors. Use as a space spray to eliminate odors in the air. Use as a surface spray to eliminate odors on tile, porcelain, formica and other washable surfaces. Effective on all types of odors produced by cigarette and cigar smoke, urine, vomit, excrement, garbage, fire damage and cooking odors. Biodegradable, non-flammable, non-staining and economical. Long-lasting mulberry fragrance. Areas of use include janitor carts, offices, apartments, kennels, garbage trucks, dumpsters, closets, basements, locker rooms, attics, hospitals and many more. No mixing or pouring.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

**QD-64**  
One-Step Germicidal Cleaner and Deodorant

QD-64 disinfectant multi-purpose germicidal cleans, deodorizes and disinfects in one step. This concentrated dual-quat based formula is effective for

apartment make-ready services, kennels, garbage trucks, dumpsters, closets, basements, locker rooms, attics, hospitals and many more.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 3600 - GERM ASIDE

#### One Step Cleaner, Disinfectant and Deodorant

GERM ASIDE is a one step, ready to use disinfectant, virucidal, germicidal, mildewstat, deodorizer, fungicidal product for cleaning, sanitizing and deodorizing hard, non-porous surfaces. EPA registered. For use on formica, plastic, stainless steel, fiberglass, porcelain and other hard surfaces not harmed by water. Areas of use include hospitals, nursing homes, day care centers, physicians' offices, schools, sports and recreational facilities, offices, airports, beauty shops, janitorial services, retail areas, convenience stores, public areas and many others. Fresh floral fragrance.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 3610 - PREDATOR

#### RTU Food Contact Surface Sanitizer

PREDATOR is a ready to use, multi-purpose disinfectant, sanitizer, and deodorant. It is designed primarily for markets requiring a no-rinse sanitizer in food contact application. Eliminates 99.999% of the following bacteria when used according to directions: Campylobacter jejuni, Salmonella enteritidis, Escherichia coli, Shigella dysenteriae, Escherichia coli O157:H7, Staphylococcus aureus, Listeria monocytogenes, Yersinia enterocolitica, and Salmonella enterica. It is excellent for sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, counter tops, refrigerated storage and display equipment. For use in hospitals, nursing homes, schools and colleges, veterinary clinics, equine farms, pet shops, airports, hotels, dairy farms, convenience stores, sports stadiums, fisheries and department stores. EPA registered formula. Approved for use in Federally inspected meat and poultry establishments, agricultural facilities, beverage plants, and food processing plants. No rinsing is required when used as a sanitizer.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts.

### 3620 - SPRING MIST

#### Counteractant

SPRING MIST Counteractant chemically neutralizes odors at their source and in the air. It contains a powerful deodorant to eliminate odors caused by animals, mildew, dirty laundry, smoke, tobacco, sewage, food-related odors, oil and gas. Especially effective in eliminating odors caused by decomposing organic matter. Strong enough to eliminate odors in stockyards and sewage plants, yet gentle enough for use in institutional and housekeeping applications. May be used as a space spray or a surface spray. May also be added to mop water and in conjunction with hot water extraction carpet cleaning machines. Non-flammable, non-staining and biodegradable. Use as a space spray to eliminate odors in the air. Use as a surface spray to eliminate odors on tile, concrete, brick, porcelain, formica and other washable surfaces. Areas of use include sewage plants, janitor carts, homes, offices, apartment make-ready services, kennels, garbage trucks, dumpsters, closets, basements, locker rooms, attics, hospitals, restaurants, mortuaries and funeral homes and many more. Minty-floral fragrance.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### THRIFT-O

#### One-Step Quaternary Cleaner, Deodorant and Disinfectant

THRIFT-O is an EPA registered concentrated, multi-purpose product designed to effectively clean, deodorize and disinfect in one economical step. It combines two active quaternary ammonium compounds in a water base. Effective against a wide variety of pathogens including HIV-1 (AIDS Virus) and Herpes simplex Type 1. Dilutes 4 ounces per gallon

for general disinfecting. Can be used on waxed floors without affecting the finish. Regular use will control the growth of mold and mildew and eliminate odors that are bacterial in origin. Use as a general cleaner/disinfectant/deodorant on floors, walls, fixtures, metal surfaces, toilet bowls, shower stalls, sinks, barber tools and many other surfaces. Areas of use include prisoner holding areas, airports, child care centers, beauty salons, schools/colleges, veterinary hospitals, nursing homes, medical and dental offices and meat and poultry plants.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

**3730 Thrift-O-Fresh**

**3750 Thrift-O-Pine**

**3740 Thrift-O-Mint**

**3760 Thrift-O-Lemon**

### 3810 - FIESTA MULBERRY

#### Super Concentrated Odor Counteractant

FIESTA Super Concentrated Odor Counteractant chemically neutralizes unpleasant odors. This non-staining formula can be used as a space spray, surface spray, or added to a solution, such as mop water and hot water extraction tanks, to eliminate odors in the air, on surfaces, in carpeting, furniture and draperies. Use as a space spray to eliminate odors in the air. Use as a surface spray to eliminate odors on tile, porcelain, formica and other washable surfaces. Areas of use include janitor carts, homes, offices, apartment make-ready services, kennels, garbage trucks, dumpsters, closets, basements, locker rooms, attics, hospitals and many more. Non-flammable and biodegradable.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 pints, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

## INSECTICIDES/HERBICIDES

### 4640 - DOUBLE TROUBLE

#### RTU Insecticide

DOUBLE TROUBLE is a semi-gelled, ready to use insecticide for indoor and outdoor use. Kills on contact and keeps killing for up to 16 weeks. Non-staining formula leaves no greasy or oily residue and requires no shaking. To be used in and around horse stables, on house plants and ornamental plants. Not for use on plants grown for sale or other commercial use. For use by pest control applicators, landscapers, lawn maintenance workers, homeowners and maintenance personnel to control fleas and ticks, home invading pests such as ants and cockroaches, spiders, centipedes, scorpions, pantry pests, plant pests, aphids, mealy bugs, lace bugs, thrips, leafminers and mites. Kills Japanese beetles and spider mites. Intended for use in and around homes, apartments, recreational vehicles, industrial plants and other areas. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared, processed or served.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.



### 4650 - LIGHTS OUT

#### Bed Bug Killer

LIGHTS OUT is a water-based pesticide developed especially to control bed bugs. When applied as directed on the labeling, Lights Out will kill bed bugs on contact. 100% mortality occurs within 5-10 minutes of application, depending on life stage. Lights Out is also effective on other insects, cockroaches, ants, millipedes, carpet beetles, and fleas. Any of the listed insects coming into contact with a surface treated with Lights Out will be killed for up to 30 days after application. Lights Out Bed Bug Killer is made only with ingredients which qualify for the 25(b) exemption in the EPA Pesticide Regulations. The US EPA has identified





a group of naturally derived chemicals as having pesticidal qualities which exhibit very low if any toxicity. These chemicals are identified in a special section of the EPA pesticide regulations known as section 25(b). In addition, the US EPA has identified a list of inert ingredients, again those which are generally considered to have very low to no toxicity, which can be used to formulate a pesticide with the 25(b) active ingredients. These products are not required to be registered as a pesticide by the EPA.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 6 x 1 and 12 x 1 quarts, 12 x 1 pistol grip quarts, 4 x 1 gals. and 24 x 3 oz.

### 4670 - ADIOS Drain Fly Repellent

ADIOS drain fly repellent is a thick gel that clings to pipes and drains to rid them of drain fly infestations. Repels annoying and unsanitary drain flies with Citronella, a natural fly repellent. ADIOS is biodegradable, non-toxic and non-caustic, made only with ingredients which qualify for the 25(b) exemption in EPA pesticide regulations. This product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) and is in accord with USDA 21 CFR 178.3400 and/or found on GRAS list. Use in grease traps, garbage disposals, dumpsters, sewer lines, drain lines, down pipes, and septic tanks. Great for nursing homes, schools, prisons, funeral homes, apartments, kennels, clinics, porta-toilets and marinas.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts.


## HAND CLEANERS/SOAPS

### 5890 - BARRICADE Protective Hand Barrier Cream

BARRICADE is a water-based, ready to use protective skin coating in convenient aerosol form. Protects exposed areas of skin from irritation when working with acids, alkalis, solvents, gasoline, chemicals and corrosive salts. Forms a barrier to prevent grease, soil and ink from penetrating the skin's pores and creases. Keeps skin cleaner, minimizing cleanup time. Easy to apply. Washes off with soap and water. Contains emollients and lubricants to leave skin soft after work is finished. For use by silkscreen operators, printers, laboratory personnel, warehouse personnel, construction workers, landscapers and heavy machinery operators. Areas of use include printing plants, chemical plants, railroad yards, oil rigs, air and truck transportation terminals, industrial plants and shipyards. NOTE: CONTAINS SILICONE. USE CARE IN PAINT AND BODY SHOPS.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

12-20 oz. cans/case. 18 oz. net wt.



### 6760 - CITRUS SOFT Natural Citrus Hand Cleaner

CITRUS SOFT dissolves and removes the toughest grease and grime. Safely removes grease, tar, adhesives, grime, stains, graphite, carbon, moly, shellac, paint, putty, printer's ink, asphalt, mastic and rubber cement. Product use is intended for bathrooms, dressing rooms and non-processing areas only.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 24 oz. tubes (12/cs), 4.5 lb. cans (6/cs) or 16 oz. hooks (12/cs, private label only).

### 6770 - CITRUS ROUGH Natural Citrus Hand Cleaner with Pumice

CITRUS ROUGH is essential for mechanics, painters, machinists, industrial workers, printers, maintenance workers, assembly line and construction workers. For exceptionally dirty hands. Ideal for removing dirt, heavy grease, ink, paint stains and many other stubborn soils. Contains a blend of the highest quality surface cleaners, soil suspending agents and gentle emollients. Contains a mixture of mild abrasive particles to help loosen and lift embedded soil. Product use is intended for bathrooms, dressing rooms and non-processing areas only.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 24 oz. tubes (12/cs), 4.5 lb. cans (6/cs) or 16 oz. hooks (12/cs, private label only).

### 6780 - THICK N' SUDSY Pink Lotion Hand Soap

THICK N' SUDSY is a coconut oil-based hand and body soap. Ready to use. Pleasant sweet almond fragrance. Produces a rich foamy lather when applied to the hands and skin. Quickly removes grease, grime and soils. Fortified with humectants, emollients and other skin conditioners. For use in industrial plants, oil fields, office buildings, machine shops, auto shops and equipment dealers.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 and 6 gal. pails and 55 gal. drums.

### 6810 - SOOTHE Waterless Hand Cleaner

SOOTHE is a creme waterless hand cleaner. Concentrated, heavy-duty, yet gentle to hands. May be used with or without water. Cleans deep down to remove even the most stubborn grease, oil, tar, ink and other soils. Leaves hands feeling smooth and smelling fresh and clean. For use in printing shops, industrial plants, oil fields, office buildings, machine shops, auto shops, airports, gas stations and equipment dealers. Bubble gum fragrance.

**HMIS Ratings: H-1, F-1, R-0, P-0.**

Available in 24 oz. tubes (12/cs), 4.5 lb. cans (6/cs) or 16 oz. hooks (12/cs, private label only).

### 6820 - GRIT Waterless Hand Cleaner with Pumice

GRIT is a thick waterless hand cleaner with pumice. Pumice gives gentle yet deep down scrubbing action. May be used with or without water. Removes even the most stubborn grease, oil, tar, ink and other soils. Concentrated, heavy-duty formula cleans deep down without drying out. Leaves hands feeling smooth, fresh and clean. For use in printing shops, industrial plants, oil fields, office buildings, machine shops, auto shops, airports, gas stations and equipment dealers. Bubble gum fragrance.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 24 oz. tubes (12/cs), 4.5 lb. cans (6/cs) or 16 oz. hooks (12/cs, private label only).



### 6840 - WHOLE SHEBANG Hair and Body Shampoo

WHOLE SHEBANG contains skin conditioners and deodorant power to fight odors caused by bacteria, plus rich emollients that leave natural oils on the hair and skin.

**HMIS Ratings: H-0, F-0, R-0, P-0.**

Available in 12 x 16 oz. hooks.

### 6930 - APPLAUSE Gel Antiseptic Hand Wash

A refreshing alcohol-based sanitizer that kills 99.9% of illness-causing germs. May be reapplied as often as needed. It does not replace hand washing to remove heavy soils, but it is an important step in keeping hands germ-free. Reduces workplace and school absenteeism by as much as 20%. Reduces transfer of infection in healthcare facilities. Leaves skin smooth and

conditioned without a medicinal smell. Excellent for use by teachers, students, doctors, nurses and dental personnel, money handlers, office workers, child care providers, emergency response technicians, flight attendants and more. Areas of use include bathrooms, kitchens, automobiles, areas without running water, day care centers, churches, hospitals, offices, campsites, sports arenas, school campuses, floral shops and retail checkout lines.

**HMIS Ratings: H-1, F-3, R-0, P-A.**

Available in 4 oz. bottles (24/cs), 8 oz. pump (12/cs), gallons (4/cs), 1000 mL (6/cs). 1000 mL dispenser available.

## 6940 - OVATION

### Foaming Instant Hand Sanitizer

OVATION foaming instant hand sanitizer kills 99% of most common germs that cause illness in as little as 15 seconds. No soap or water required. Use as needed between hand washes to help reduce bacteria on skin. Does not contain alcohol. Non-flammable formula. Areas of use include hospitals, restaurants, day care facilities, schools, industrial plants, office buildings, department stores, agriculture facilities, gyms, locker rooms, anywhere people gather. Mild fragrance.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 50 mL pump spray (24/cs), 8 oz. pump spray (12/cs), 1000 mL (6/cs). 1000 mL dispenser available.

## 6950 - SMART SUDZ

### Foaming Anti-Bacterial Hand Cleaner

SMART SUDZ foaming anti-bacterial hand cleaner cleans hands and kills germs more effectively than ordinary soap and water. Thick, rich foam contains skin softening emollients to help soothe dryness. Leaves hands feeling clean, soft and smooth. Pleasant melon fragrance contains no iodine or alcohol. Effective even in hard water. Use anywhere hands contact germs.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 8 oz. pump spray (12/cs), 1000 mL (6/cs). 1000 mL dispenser available.

## CARPET & FLOOR CARE

### 2810 - VELVA-SHEEN

#### Dust Mop Treatment

VELVA-SHEEN acts like a magnet to attract lint and dust to dust mops. Quickly saturates treated surfaces but evaporates slowly. Prevents scattering. Use as a dust cloth treatment for small jobs. Leaves surfaces completely free of dust, lint and hair. Restores wood surfaces and leaves all surfaces shining. Formulated to be used in homes, hotels/motels, industrial plants, hospitals, offices, warehouses and institutions. When replacing filters on heating and air conditioning systems, spray the filter to reduce the amount of dust which again becomes airborne. Lemon fragrance.

**HMIS Ratings: H-1, F-1, R-1, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2990 - GONE

#### Carpet Stain Remover


GONE carpet stain remover is a water-based spot and stain remover. Contains degreasers and surfactants which rapidly clean all types of stains without damaging fabrics. Use on carpets and upholstery. Contains an odor modifier to destroy noxious odors, leaving a pleasant fragrance. This excellent spot remover is formulated for use in hotels/motels, homes, offices, hospitals, automobiles, institutions, restaurants, schools and trucks. Removes blood, catsup, ink, soft drinks, alcoholic beverages, milk, ice cream, dirt, mud, urine, coffee, tea, grease, oil and vomit. Not for use on white or light colored carpets. Test in an inconspicuous area prior to application. Controlled pH.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.



### 7000 - LIGHTNING Non-Ammoniated Wax Stripper



LIGHTNING is a highly concentrated non-ammoniated wax stripper. Removes all types of floor waxes, synthetic finishes, acrylics and latex finishes. Safe for use on most floors. Not for use on wood or laminate floors. Contains strong wetting agents which penetrate to strip floors quickly and safely. Low sudsing and odorless. Non-flammable. Also removes dirt, grease, rubber marks and scuff marks. Areas of use include office buildings, hospitals, child care centers, nursing homes, schools, bank buildings and supermarkets. NOTE: Resilient tile floors can be damaged by prolonged flooding with stripper. Do not flood tile floors. Dilution ratio between 1:20 for lighter jobs and 1:4 for hard wax coats. Fast drying and easy to apply. Does not contain ammonia, to irritate eyes and skin. Rinses easily with a wet vac or mop.

**HMIS Ratings: H-2, F-0, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 7050 - NO RINSE Mop-On Stripper

NO RINSE is a wax stripper which lifts and removes floor finishes without scrubbing. Formulated with a synergistic blend of solvents and wax emulsifying agents. Mop agitation is all that is necessary. Rinsing is usually not required. Saves time and labor, two of the most costly factors in floor care. Contains no ammonia. Use to remove floor wax, acrylic coatings, petroleum and carnauba-based products on asphalt tile, linoleum, rubber, terrazzo, vinyl and vinyl asbestos. Also removes synthetic coatings on concrete, machinery and walls. Areas of use include hotels/motels, restaurants, schools, department stores, shopping malls, office buildings and factories.

**HMIS Ratings: H-2, F-0, R-1, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 7110 - EXTRACTO

#### Concentrated Steam Extraction Fluid

EXTRACTO has been formulated to be used with all types of extraction carpet cleaning equipment. It revives the color and enlivens the fibers of carpet piles so they actually rise with life. This product contains special cleaning solvents which thoroughly clean all types of carpets. Leaves no sticky residue to quickly resoil carpet. Low foaming formula eliminates the need for defoamer. Safe to use on any material water will not harm. Equally effective in hard or soft water. This product is also recommended for use as an upholstery maintenance shampoo. For use on carpets, rugs, fabrics, automobiles and upholstery. Areas of use include cleaning services, hotels/motels, restaurants, office buildings, schools, homes, apartments, shopping malls and department stores.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 7120 - NO FOAM

#### Defoamer Solution

NO FOAM defoamer concentrate, when added to a carpet cleaner recovery tank, quickly kills foam caused by detergents or other chemicals. Excellent for water towers, cooling systems, boilers, recycling fountains, or anywhere detergent, soap, or surfactants cause foaming. For use by carpet cleaning professionals and in industry to kill foam. Non-corrosive. Non-oxidizing. Non-polluting.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 7130 - PRO-KOTE - 25% Solids Super High Gloss Floor Polish

PRO-KOTE is an extra high solids floor polish for use in heavy traffic areas. Designed for use in all types of maintenance programs. Non-yellowing, black mark resistant,



fast drying, long wearing. For use on vinyl, terrazzo, stone and vinyl composition. Excellent gloss and shine. Superior durability.

**HMIS Ratings: H-0, F-0, R-1, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 7180 - DEEP GLOSS 18 - 18% Solids

### 7200 - QUIK KOTE - 22% Solids

#### Floor Finishes

DEEP GLOSS 18 and QUIK KOTE are high solids formulas that can be scrubbed daily with high speed automatic floor maintenance equipment without damage or dulling. These long-lasting floor finishes resist black marks, are extremely bright and level well. Applications of 2,000 square feet per gallon in even thin coats show the best results. Consist of metal cross linked acrylic polymers and polyethylene. For use on vinyl tile, rubber, cork, sealed wood, marble, concrete, terrazzo, brick and all resilient floors. Areas of use include hotels/motels, office buildings, homes, schools, stores, restaurants, banks, shopping malls, warehouses and factories. Level with no streaks or mop trails.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

7200 Quik Kote is private label only.

## AUTOMOTIVE

### 8300 - FUEL GUARD

#### Diesel Fuel Stabilizer

- Prevents slime build-up
- Reduces fuel consumption
- Prolongs pump and injector life
- Provides lubricity for low sulfur fuel
- Keeps injections running clear
- Increases horsepower output
- Neutralizes harmful engine acids

FUEL GUARD is an unparalleled fuel conditioner that responds to an entirely new set of demands created by new low sulfur fuels, as well as satisfying the needs of previous fuel related problems. It not only helps to stabilize the fuel, but also increases engine life and power, by keeping the internal parts of the engine cleaner, aiding combustion, neutralizing acids and holding carbon, varnish and gum in suspension. This suppresses the tendencies of icing and corrosion. For use in trucking, heavy construction, agriculture, mining equipment, industrial equipment, marine and fuel storage.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 12 x 1 quarts, 5 or 6 gal. pails and 55 gal. drums.

### 8520 - FLEETMASTER

#### Heavy-Duty Car Wash

FLEETMASTER is a heavy-duty vehicle detergent. Removes road film when used through a pressure washer with 600 psi. A unique combination of emulsifiers, wetting agents and soil suspension agents. Very effective in hard or cold water. Biodegradable. Use on equipment, tractors, automobiles, trucks and trailers by auto dealers, make-ready and repair shops, car washes, freight companies.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 8540 - PROTEK

#### Vinyl and Rubber Protectant

PROTEK cleans, restores and protects any vinyl or rubber surface. Prevents cracking, drying, fading and hardening from sun and other harmful elements. Use on car interiors, tires, bumpers, rubber seals, chrome, stainless steel, acrylic and brass. Water-based formula.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 12 x 1 quarts and 55 gal. drums.



## GREASES & LUBRICANTS

### L102 - MOLY TUFF

#### Premium Multi-Purpose Moly E.P. Grease

A multi-use grease containing moly, high viscosity base oil and calcium sulfonate thickener system for hundreds of automotive, marine, industrial and agricultural applications. Extreme pressure additives provide resistance to shock. Forms a protective film, resisting rust and corrosion. Resists chemical breakdown and oxidation. Water resistant—will not wash out and resistant to corrosive salt water environments. Exceeds the demanding automotive and industrial testing requirements of ASTM D 4950, earning it the GC-LB classification by the National Lubricating Grease Institute. Also meets Caterpillar CAT 5% moly requirements. Recommended for the most severe applications in off-highway construction, mining equipment, earth moving machines, Caterpillar equipment, as well as other heavy-duty construction and mining equipment moving at slow to medium speed.

NLGI Grade 2, Temperature Range -20°F – 500°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails and 120 and 400 lb. drums.

### L103 - BIG RED

#### Premium, Non-Melt Multi-Purpose Grease

A multi-use grease for hundreds of automotive, marine and agricultural applications. Extreme pressure additives give resistance to shock impact. Bentone based formula does not liquefy at high temperatures like soap based greases, yet remains pumpable at low temperatures. Forms a protective film, resists rust and corrosion. Resists chemical break down and oxidation. This waterproof lubricant will not wash out even by boiling water and steam.

NLGI Grade 3, Temperature Range 0°F – 300°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails and 120 and 400 lb. drums.

### L104 - MR. GREEN

#### Premium Lithium E.P. Grease

MR. GREEN is recommended for severe applications in many industries. It is particularly suitable for high speed bearings and centralized lubrication systems. Mr. Green is recommended for use in automotive as well as extreme pressure applications. Suitable anywhere where shear stable, high load carrying, corrosion resistant grease is required. Forms protective film, resisting rust and corrosion. Resists chemical breakdown and oxidation. This waterproof lubricant will not wash out. Resistant to corrosive salt water environments. NLGI Grade 2, Temperature Range -20°F – 500°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails and 120 and 400 lb. drums.

### L105 - MR. BLUE

#### Premium Lithium E.P. Grease

A multi-use grease for hundreds of automotive, marine, industrial and agricultural applications. Does not dry out after use as some clay based greases do. Remains pumpable at low temperatures. Forms protective film, resisting rust and corrosion. Resists chemical breakdown and oxidation. This waterproof lubricant will not wash out. Suitable for medium sized high speed bearings.

NLGI Grade 2, Temperature Range 0°F – 350°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails and 120 and 400 lb. drums.

## L106 - BIG GREEN


### Super Impact Non-Melt E.P. Grease

A multi-use grease for hundreds of automotive, marine and agricultural applications. Extreme pressure additives give resistance to shock impact. Bentone based formula does not liquefy at high temperatures like soap based greases, yet remains pumpable at low temperatures. Forms a protective film, resists rust and corrosion. Resists chemical break down and oxidation. Waterproof—will not wash out even by boiling water and steam.

NLGI Grade 3, Temperature Range 0°F – 300°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails and 120 and 400 lb. drums.



## L107 - MR. JOE

### Amber Premium Lithium E.P. Grease

A multi-use lithium-complex grease for hundreds of automotive, marine, industrial and agricultural applications. Does not dry out after use as some clay based greases do. Remains pumpable at low temperatures. Forms protective film, resisting rust and corrosion. Resists chemical breakdown and oxidation. This waterproof lubricant will not wash out. NLGI Grade 2, Temperature Range 0°F – 350°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails and 120 and 400 lb. drums.



## L108 - EZ LUBE

### Food Grade White Grease

A multi-purpose, high purity food grade lubricant that provides long lasting grease protection. Withstands heat to 500°F. Temperatures above 400°F may require periodic reapplication. For use by: bakeries, bottlers, breweries, canneries, dairies, egg processors, meat and poultry processors, pharmaceutical manufacturers and food processing and packaging plants.

NLGI Grade 2, Temperature Range -40°F – 500°F. NSF Rating H-1.

**HMIS Ratings: H-0, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails and 120 and 400 lb. drums.

## L639 - SURRENDER

### Anti-Seize

SURRENDER Anti-Seize is a gray/black non-melt lubricant formulated to withstand high temperatures and extreme pressures. The blend of paraffinic oil and solids insures a resistance to decomposition and oxidation under extreme temperature conditions. It is fortified with anti-wear, extreme pressure and anti-oxidant additives to provide a multi-purpose application for the product. Surrender is a specialty lubricant to prevent friction wear and reduce galling and seizing of metal contact. For use on flanges, nuts, valves, fuel injectors, pins, transmission shafts, brake anchor pins, marine engines, valves, stationary engines, turbines, piping, compressors and cylinder heads. Areas of use include factories, industrial plants, workshops and warehouses.

NLGI Grade 2, Temperature Range -30°F – 2200°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails, 120 and 400 lb. drums and 16 oz. brush top cans (12/cs).

## L660 - KOPPER LUBE

### Copper-Based Anti-Seize

KOPPER LUBE is a copper-based anti-seize lubricant formulated to withstand high temperatures and extreme pressures. Continues ground conductivity better than ordinary lubricants. Imbedded with copper to improve conductivity. Seals out moisture, gases and corrosive fluids from threaded connections. Contains rust and corrosion inhibitors to assure long life of connectors.

NLGI Grade 2, Temperature Range 0°F – 350°F.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 14.5 oz. cartridges (10/cs), 35 lb. pails, 120 and 400 lb. drums and 8 oz. brush top cans (12/cs).

## L1500 - HYDRAULIC OIL 10W40

HYDRAULIC OIL 10W40 provides outstanding service time and performance. Excellent for use over multiple operating conditions and temperature ranges. Highly protective against rust, corrosion and friction. Recommended for both hydraulic systems and compressors (including reciprocating, sliding vane, and rotary screw). Useful in air lines, vacuum pumps, turbines, bearings, and general oiling applications. Excellent performance in a wide range of equipment including: forklifts, machine tools, dump trucks, mining drills, cherry pickers, earthmovers and graders, shot hole drills, trenches, cold room machinery, bulldozers, hydraulic ramps, hydraulic maintenance equipment, tractors, pavers and spreaders, and more.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 5 gal. pails and 55 gal. drums.

## L1600 - RED UNIVERSAL GEAR OIL 80W90

- Outstanding anti-wear and extreme pressure characteristics
- Enhanced thermal & oxidation stability during wide operating temperatures
- Superior corrosion resistance
- Provides longer service gear life even at high speeds
- Excellent resistance to water, demulsibility and anti-foaming characteristics

Recommended for a wide range of industrial gears; spur, helical, bevel, worm gears, conveyors, agitators, pumps, dryers, extruders, fans, mixers, pulpers, screens, and other heavily loaded gear systems used in construction, mining, agriculture, oil fields, among many other industries.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 5 gal. pails and 55 gal. drums.

## L1800 - RED UNIVERSAL GEAR OIL 85W140

## L1801 - GREEN UNIVERSAL GEAR OIL 85W140

GEAR OIL is embodied with an innovative additive package providing outstanding extreme pressure, load carrying, friction reduction, superb thermal and oxidation stability, excellent water resistance and demulsibility, and longer gear service life. This super gear oil provides superior anti-friction properties and energy savings, thus lowering operating temperatures leading to longer gear life.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

Available in 5 gal. pails and 55 gal. drums.

## EXPRESS WIPES

### 6420 - EXPRESS WIPES MULTI-PURPOSE HAND CLEANER

MULTI-PURPOSE HAND CLEANER wipes are industrial strength, yet gentle on skin. The fabric is 200 times stronger than other wipes on the market for outstanding cleaning performance. This material aggressively removes soils, yet will not harm skin or surfaces. This versatile wipe may be used for many tough cleaning jobs. Use anywhere soap and water are not readily available. The citrus scented formulation contains emollients and natural oils to prevent cracking and drying of hands. Leaves no residue. No rinsing or drying required. Removes tar, grease, wax, ink, paint, lubricants and adhesives from skin, tools, work surfaces and more. Areas of use include industrial shops, warehouse operations, machine shops, mechanics, welders, municipal workers, offices, airports, oil rigs and more.



**HMIS Ratings: H-1, F-1, R-0, P-0.**

72 premoistened towels per container, 6 containers per case.

### 6430 - EXPRESS WIPES GRAFFITI REMOVER

GRAFFITI REMOVER wipes remove paint and graffiti in one easy step. The biodegradable formula contains powerful cleaners to quickly attack all forms of graffiti. Scrubbing action is built into the fabric to complement the effective

formula. Use to remove all types of graffiti on bathroom stalls, phone booths, street light posts, bus stops and seats, desks, wall tile, trains, aluminum siding, road signs, stainless steel, billboards, lockers and more—almost any hard surface. Removes most paints including tough enamels. Does not contain methylene chloride or other harsh chemicals, leaving wipe safer to handle. Towels remain moist in container until ready for use. NOTE: When using on pre-painted surface, initially test on an inconspicuous area to make sure paint is not removed along with the graffiti. The formula may attack certain plastics. Convenient, pop-top dispenser eliminates waste.

**HMIS Ratings: H-1, F-2, R-0, P-B.**

40 premoistened towels per container, 6 containers per case.

### 6441 - EXPRESS WIPES GERM AWAY

- Bactericidal
- Virucidal\*
- Tuberculocidal
- Pseudomonicidal
- Fungicidal
- For Use on Environmental Surfaces

GERM AWAY wipes are non-woven disposable cloths containing a stable, low pH formulated disinfectant and deodorant for use on hard, non-porous surfaces where control of cross-contamination is required. \*Note: May be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection. Not to be used on food contact surfaces. Effective against the following pathogens in 5 minutes at 20°C/68°F on hard, non-porous surfaces when used as directed: Staphylococcus aureus, Pseudomonas aeruginosa, Salmonella enterica, Escherichia coli 0157:H7, \*Herpes simplex virus 2 (genital herpes virus), \*HIV-1 (AIDS virus)\*\*(at an exposure time of 1 min.), Trichophyton mentagrophytes (Athlete's foot fungus), Mycobacterium tuberculosis, Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis (VRE), \*Influenza A.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

50 premoistened towels per container, 6 containers per case.

### 6450 - EXPRESS WIPES HAND SANITIZER

HAND SANITIZER wipes are premoistened disposable wipes formulated to kill 99.9% of bacteria while cleaning skin. Perfect in areas where water and soap are not available. Emollients leave skin soft and moisturized. Non-abrasive fabric is gentle on skin. Dries quickly. Enriched formula leaves hands clean, soft and smooth. Areas of use include medical offices, schools, child care centers, hotels, dental offices, nursing homes, restaurants, correctional facilities and areas where crowds gather such as county fairs and sports arenas.

**HMIS Ratings: H-1, F-3, R-0, P-A.**

70 premoistened towels per container, 6 containers per case.

### 6490 - EXPRESS WIPES SHEEN GLASS CLEANER

SHEEN GLASS CLEANER premoistened wipes clean in one easy step. Lint-free, ammonia-free formula removes dirt, smudges and water spots without streaking. Removes grease, oil, fingerprints, smoke film and other soils from all glass surfaces. Leaves a dazzling shine without residue. Safe for use on almost all surfaces including tinted and colored windows. For use on windows, mirrors, glass counter tops, windshields, shower doors, glass tabletops and computer screens, including flat panel and laptop screens. Areas of use include homes, office buildings, schools, hotels, day care centers, medical facilities, department stores, restaurants, airports, car detailers and more. No ammonia. Fresh scent.

**HMIS Ratings: H-1, F-1, R-0, P-0.**

35 premoistened towels per container, 6 containers per case.

### 6510 - EXPRESS WIPES VINYL & RUBBER PROTECTANT

VINYL & RUBBER PROTECTANT wipes condition, beautify and protect vinyl, rubber, leather and plastic. Premoistened with an advanced water-based silicone formula to clean and restore the surface's original shine quickly and safely. Contains an anti-static ingredient that repels dust and keeps surfaces looking new long after they have been cleaned. Also contains a UV blocker. For use both inside and outside the vehicle to keep dashboards from drying, cracking and fading from sun exposure, clean and polish side moldings, rubber bumpers, cup holders, door and window seals and even plastic hub caps. Use to clean vinyl, rubber, leather and plastic in homes, offices, furniture stores, hotels, vehicles and more. Simply use and discard.

**HMIS Ratings: H-1, F-1, R-0, P-0.**

40 premoistened towels per container, 6 containers per case.

### 6520 - EXPRESS WIPES INDUSTRIAL GRADE HAND CLEANER

INDUSTRIAL GRADE HAND CLEANER wipes are industrial strength, yet gentle on skin. The soft strong fabric aggressively removes soils, but won't harm skin or surfaces. This versatile wipe may be used for many tough cleaning jobs. Use anywhere soap and water are not readily available. Contains emollients and natural oils to prevent cracking and drying of hands. Leaves no residue. Removes tar, grease, wax, ink, paint, lubricants and adhesives from skin, tools, work surfaces and more. Areas of use include industrial shops, warehouse operations, machine shops, mechanics, welders, municipal workers, offices, airports, oil rigs, and more.

**HMIS Ratings: H-1, F-1, R-0, P-0.**

90 premoistened towels per container, 6 containers per case.

Private label only.

### 6530 - EXPRESS WIPES STAINLESS STEEL POLISH & CLEANER

STAINLESS STEEL POLISH & CLEANER is especially formulated to quickly clean and polish all stainless steel surfaces. Contains a unique citrus-based formula that reduces oxidation and corrosion. Pleasant citrus fragrance. Removes hard water stains and deposits, grease smudges, food residue and fingerprint smudges from virtually any stainless steel surface. While cleaning, this formula also brightens, polishes and protects the surface with a clear coating that acts as a protective shield. Also for use on wood, formica, ceramic and porcelain. The new generation towel is 200% stronger than other towels. Abrasive surface cleans without harming finishes. Flip towel over for softer polishing surface. Areas of use include schools, hotels/motels, office buildings, detail shops, day care centers, department stores and more. No messy liquids to clean up. No cloths to launder.

**HMIS Ratings: H-1, F-2, R-0, P-B.**

40 premoistened towels per container, 6 containers per case.



### 6560 - EXPRESS WIPES SANI-CLEAN ALL SURFACE CLEANER

SANI-CLEAN All-Surface Cleaner provides easy one-step cleaning and deodorizing. Excellent for use on fitness equipment, grocery carts, baby-changing tables, high chairs, booster seats and many other surfaces. Dispensers may be located in athletic clubs, grocery stores, movie theaters, restaurants, schools and other public settings.

**HMIS Ratings: H-1, F-1, R-0, P-0.**

1600 premoistened towels per container, 2 containers per case.

### 6570 - EXPRESS WIPES BEAT-IT INSECT REPELLENT

BEAT-IT INSECT REPELLENT wipes provide the great 25% DEET formula, with the convenience of a disposable wipe. These wipes repel mosquitoes, black flies, stable flies, sand flies, gnats, chiggers, fleas and ticks.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

40 premoistened towels per container, 6 containers per case.



## GREENSCAPES

### 2650 - GREENSCAPES CLEANER & DEGREASER

GREENSCAPES CLEANER & DEGREASER is a heavy-duty cleaner and degreaser. Use as is for tough cleaning or may be diluted up to 1:64 for light duty cleaning. Follow dilution instructions for specific cleaning jobs. Contains biodegradable surfactants and degreasers. Complies with the EPA DfE program. For use on walls, floors, tile, vinyl upholstery, metal, porcelain, concrete, and counter tops. Removes grease, oil, grime, soap scum, lipstick, wax, food stains and dirt. Use on whitewalls to restore original color.

Safe on most surfaces. Made from environmentally preferred ingredients. No fumes or offensive smells.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2700 - GREENSCAPES HEAVY-DUTY GLASS & MULTI-SURFACE CLEANER CONCENTRATE

GREENSCAPES HEAVY-DUTY GLASS & MULTI-SURFACE CLEANER CONCENTRATE is a powerful, concentrated cleaner for spray and wipe applications. May be diluted up to 1:128 in water. Contains no harsh solvents, alcohol or ammonia. Saves energy by using cold water for dilution. Won't streak or leave a film. Biodegradable. Complies with the EPA DfE program. Cleans glass, mirrors, formica, plastic, stainless steel, fiberglass, vinyl, ceramic tile, porcelain, and chrome and many other hard surfaces.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2720 - GREENSCAPES CONCENTRATED NEUTRAL CLEANER

GREENSCAPES CONCENTRATED NEUTRAL CLEANER is a concentrated neutral cleaner and degreaser. Favorable environmental profile. Complies with the EPA DfE program. Use as directed for tough cleaning jobs and also for general purpose cleaning. Biodegradable in hard or soft water. Dilution with cold water conserves energy. Designed for use on floors, walls, tile, terrazzo, concrete, woodwork, enamel, porcelain, windows, metal surfaces, and HVAC evaporator and condenser coils. Removes grease, grime, oil, food stains, dirt, lipstick, black heel marks, carbon, soot and soap scum.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2970 - GREENSCAPES BATHROOM CLEANER

GREENSCAPES BATHROOM CLEANER is a special blend of mild surfactants and hydrogen peroxide that produce a cleaner as strong as mineral acid, yet is mild like hand soap. This non-fuming biodegradable bathroom cleaning product can be used for the toughest cleaning jobs and is much safer than hydrochloric and phosphoric acid based cleaners. Complies with the EPA DfE program. Apply with sprayer or wipe on with cloth or sponge. Removes soap scum, lime and hard water deposits, grease, grime, rust, discoloration, mineral deposits and other types of soils. Use on metal, concrete, ceramic tile, porcelain, stone, brick, fiberglass, grout. For use in bathrooms, kitchens, restroom facilities in schools, industrial facilities, public venues, hotels, motels, sporting arenas.

**HMIS Ratings: H-0, F-0, R-1, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 2980 - GREENSCAPES OXYGENATED CLEANER & DEGREASER

GREENSCAPES OXYGENATED CLEANER & DEGREASER is a concentrated heavy-duty cleaner, degreaser, deodorizer and stain remover. Complies with the EPA DfE program. Contains hydrogen peroxide, biodegradable surfactants and degreasers. Follow dilution chart for specific cleaning jobs. Leaves no residue, rinses freely with water. Contains no caustic or harmful solvents. Produces no fumes or offensive smells. For use on walls, floors, tile, vinyl upholstery, metal, porcelain, concrete, and counter tops. Removes grease, oil, grime, soap scum, lipstick, wax, food stains and dirt. Excellent for use as general purpose carpet spotter. Can also be used as a pre-spotter on soiled clothing prior to laundering.

**HMIS Ratings: H-0, F-0, R-1, P-A.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.



# INDUSTRIAL MAINTENANCE LIQUIDS

## LUBRICANTS

### 6002 - MOLI-GUARD

Dry Film Lubricant

MOLI-GUARD is a molybdenum disulfide dry film lubricant that withstands high pressures and temperatures. Lubricates moving parts of all kinds. Fast drying with minimal transfer. Protects from rusting and corrosion by displacing moisture. Reduces metal to metal contact on treated surfaces. Service temperatures range from -40°F to 600°F. Adheres to metal, glass, rubber and most plastics. Resists pressures up to 250,000 psi.

**HMIS Ratings: H-2, F-1, R-0, P-B.**

Available in 5 or 6 gal. pails.

### 6004 - PIERCE

Penetrating Oil, Moisture Remover, Rust Dissolver

PIERCE will loosen dirt and scale from corroded painted and plated surfaces. Remove scale and debris and spray again. Liberal application of Pierce will loosen frozen and corroded nuts, bolts, flanges, hinges, pins, sliding and rotating parts, tightly fitted parts etc. Its "wicking" action crawls up threads for immediate penetration. It lubricates, displaces moisture, and protects electrical gear, metal surfaces, machinery and hundreds of other uses your imagination can find. It is a must for protecting various metals from atmospheric deposits and rust. Lubricates all metal to metal parts and places protective barrier on them. The conductivity of communicators and contacts is protected by this formula. Can be used on wet or dry surfaces and will readily displace the water. This product is the Ultimate for protection, moisture displacing, penetrating and lubricating. Pierce is a powerful-multi-action protective shield against the harmful effects of moisture and corrosion! Dielectric strength 29,000 volts.

**HMIS Ratings: H-2, F-1, R-0, P-C.**

Available in 5 or 6 gal. pails. and 55 gal. drums.

### 6005 - MC-FREE

Dry Moly Methylene Chloride-Free Dry Film Lubricant

MC-FREE is a methylene chloride free dry film lubricant offering superior, long-lasting performance. Molybdenum graphite anti-seize dry coating resists dust and abrasive particles. Withstands water, oil, alkalis and most acids. Forms a strong bond to metal—will not wipe off easily. May be used at higher temperatures—will not carbonize. Formula is more readily accepted by safety directors. May be used as a release agent. Temperature Range -40°F to 662°F. Resists pressures up to 250,000 psi.

**HMIS Ratings: H-2, F-3, R-1, P-B.**

Available in 5 or 6 gal. pails.

### 6007 - LOOSE SCREW

4-in-1 Lubricant & Penetrant with PTFE

LOOSE SCREW is a non-flammable, 4-in-1 formula that penetrates, lubricates, displaces moisture and resists corrosion. This lubricant is used by factories, truck lines, delivery services, transit systems, schools, machine shops, service stations, airlines, air maintenance shops and general industries. Contains no ozone depleters.

LOOSE SCREW excels as a:

- **Lubricant:** Superior, long-lasting lubricant made specifically to hold contact with metal, rubber, metal to rubber, or rubber to rubber contact. Fortified with ultra-slick PTFE which lowers inter-surface friction and increases lubricity.
- **Penetrant:** Penetrates frozen or rusted-on nuts, bolts, joints, couplings, pipe threads, or other parts and frees them for use.



- **Water Displacer:** Displaces water and moisture from electric contacts, mechanical controllers, machinery parts, equipment and many other water sensitive surfaces, keeping them functioning to peak efficiency.
- **Corrosion Inhibitor:** Adds a protective layer onto the surface to provide a physical barrier to water and oxygen to control corrosion on a variety of surfaces.

**HMIS Ratings: H-2, F-1, R-0, P-C.**

Available in 5 or 6 gal. pails and 55 gal. drums. Private label only.

## COIL CLEANERS

### 6601 - COBRA

#### Foaming Alkaline Condenser Coil Cleaner

QuestSpecialty's flagship alkaline condenser coil cleaner. COBRA's UNIQUE formula penetrates deeply into the thickest coils while creating a dense, heavy foam that pushes the contaminants and oxides to the surface, so they can be easily rinsed away. Cobra dissolves and disperses grease like no other. Provides greater safety for service personnel during application. No burning sensation during application. One gallon makes 4 ready to use gallons of coil cleaner. No VOC's.

**HMIS Ratings: H-3, F-0, R-1, P-C.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 6606 - RATTLER

#### Evaporator Coil Cleaner

This low cost, high performance evaporator coil cleaner also works exceptionally well on electronic air cleaners and filters. New technology allows this cleaner to dissolve grease and grime completely, leaving no residue. Dilute with 3 to 6 gallons of water, depending on application. VOC content is 0.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 4 x 1 gals. and 5 or 6 gal. pails.

## METAL TREATMENT

### 6001 - DEFENSE

#### Metal Parts Protector

DEFENSE forms a flexible, weldable metal parts protector. When applied, it will prevent rust and corrosion on all metal parts. Affords long term protection for indoor or outdoor storage. Excellent for protecting materials while in transit. A 2 or 3 mil coating will provide indefinite protection for indoor storage, and 6 months to 1 year protection for outdoor storage. A 5 or 6 mil coating will protect materials for up to 2 years in outdoor storage. Film is a transparent amber, easy to see through. Can be removed by washing with kerosene or mineral spirits. Once removed, parts can be painted.

**HMIS Ratings: H-1, F-2, R-0, P-B.**

Available in 5 or 6 gal. pails & 55 gal. drums.

### 6120 - HD-50

#### Synthetic Cutting Fluid, Rust Preventative, Coolant



HD-50 is a totally synthetic (oil free) cutting and metal working fluid. It provides the lubricity and film strength of oils plus the cooling ability and cleanliness of water. This product can be used for virtually all metal working applications, will not rust parts or equipment. Water miscible—dilutable with water in all proportions—forms clear solutions. Powerful lubricating qualities—multiple lubricants work together to meet

the most demanding metal working operations. No messy oils to clean up. Synthetic cutting fluid is a cleaner itself. It may be used to clean your equipment less expensively than many degreasers. Biodegradable and does not pollute. Reduces tool burning, increases tool life and is an excellent rust preventative. Areas of use include oil tool manufacturers, machine shops, steel fabricators, metal working shops, automotive repair shops, and industrial plants. Can be used for lathe work, grinding, sawing, milling, drilling and tapping.

**HMIS Ratings: H-1, F-0, R-0, P-A.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

Gallons are private label only.

### 6410 - RESTORE

#### Rust Converter and Protective Coating

RESTORE stops further erosion and rusting of machinery, tools, vehicles, equipment, boats, metal buildings and more. When painted on, it chemically converts rust into a black organic complex. Oxidizes corrosion and scale. Brightens surfaces. A clear acrylic coating is formed. The coating is sufficient to last for years without painting, or it can be painted over using latex, oil based or epoxy paint. Extends the life of anything made of metal. Highly concentrated and powerful. For use by industrial plants, schools, institutions, office buildings, homes, farms and shipyards.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

## SPECIALTY

### 6010 - LIQUEFIRE

#### Anti-Icing Agent

LIQUEFIRE is an environmentally responsible solution to help fight a winter storm before it arrives. When applied to sidewalks, steps, ramps and traffic areas before a storm, it will prevent the bonding of snow and ice to the surface. This means a fast and effective clean-up after the storm. Liquefire is also excellent at melting thin layers of ice and snow left behind by snow blowers and plows. It eliminates the unsightly residue that granular products leave behind. It is tested and proven to be effective to -25°F. This formula is ready to use—DO NOT MIX WITH WATER. PNS (Pacific Northwest Snowfighters) certified.

**HMIS Ratings: H-1, F-0, R-0, P-B.**

Available in 4 x 1 gals., 2 x 2.5 gals., 5 gal. pails, 55 gal. drums and 275 gal. totes.

### 6020 - UP AND AWAY

#### Solvent Lift Station Degreaser

UP AND AWAY quickly dissolves heavy grease and fat accumulations in a lift station. Powerful solvent formula dissolves tough buildups on the walls of the lift station and keeps future buildup to a minimum. Removes most sewer odors and gases caused by vertical buildup of grease, fat, sewage and magnesium soap. Industrial municipal detergent formula. For use in wet wells, grease traps, sewage treatment plants, vault toilets and sanitary and storm sewers.

**HMIS Ratings: H-1, F-2, R-0, P-B.**

Available in 5 or 6 gal. pails and 55 gal. drums.



### 6030 - RUTHLESS

#### Paint and Varnish Remover

RUTHLESS is a gel base paint remover. Penetrates deep to remove paint, graffiti, and labels from most surfaces. Washes off with water or solvent. Safe

to use on metal, brick, ceramic, wood, and tile surfaces. Clings to all vertical surfaces. Contains a chemical seal to prevent evaporation of paint removing solvents. Non-flammable. Areas of use include auto dealerships, paint shops, factories, motels, hotels, schools, hospitals, homes and restaurants. NOTE: WILL DAMAGE PLASTICS.

**HMIS Ratings: H-3, F-1, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 6050 - BUOY

#### Lift Station Cleaner and Degreaser

BUOY is a d-limonene based lift station degreaser. It floats on top of the water and cleans and degreases as the water level rises and falls in the lift station. Pleasant citrus fragrance deodorizes while it cleans. Bright orange color easily indicates when product needs to be replaced.

**HMIS Ratings: H-1, F-2, R-1, P-B.**

Available in 5 or 6 gal. pails and 55 gal. drums.

### 6200 - 99% ISOPROPYL ALCOHOL

99% ISOPROPYL ALCOHOL is a general all-purpose industrial cleaner and degreaser. Removes dirt and grime quickly and efficiently. Dries quickly, leaving no residue. For use on PC boards, connectors and contacts, fiber optics, semi-conductors, printed circuit boards, tape heads, light oils, office and medical equipment, relays and flux.

**HMIS Ratings: H-1, F-3, R-0, P-B.**

Available in 12 x 1 quarts, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 6210 - DENATURED ALCOHOL

DENATURED ALCOHOL is a sanding aid for woodworking projects. After sanding, use Denatured Alcohol to remove excess sawdust trapped in the grain. The alcohol will evaporate quickly, allowing you to resume sanding the raised grain producing a smoother finish. Also use to remove excess stripper and paint from wood, to clean and degrease metal surfaces and to remove printer's ink and other types of ink from a variety of surfaces. For industrial and commercial use only.

**HMIS Ratings: H-1, F-3, R-0, P-B.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 6220 - PURITY

#### Food Grade Lubricant and Protectant

PURITY cleans and protects metal, stainless steel, soapstone and brass surfaces. Industrial Strength. Easy to apply, safe to use. A small amount of the oil removes smudges and fingerprints, leaving a shining protected surface. Note: Do not allow product to drip on floors. Slick floors can pose a hazard. Areas of use include homes, offices, department stores, factories, hotels/motels, restaurant kitchens with stainless steel appliances, soapstone counter tops and surfaces, brass fixtures, elevator doors, etc. Meets NSF H-1 Standards.

**HMIS Ratings: H-0, F-1, R-0, P-A.**

Available in 12 x 1 pints, 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 6280 - SCALE-A-WAY

#### Lime and Scale Remover

SCALE-A-WAY is a blend of detergents, acids and solvents. Effectively removes scale, concrete, mortar, corrosion and lime deposits. Useful for a multitude of applications such as drain lines, coils, cooling towers, steam cleaners, generators. Excellent for all machinery handling water. Use on concrete trucks, buildings, forms and other similar surfaces. An excellent concrete etching and surface preparation preceding the use of concrete sealers. For use by industrial plants, schools, factories, institutions and dishwashers.

**HMIS Ratings: H-3, F-0, R-1, P-D.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.



### 6360 - TRAILERBRITE Aluminum Brightener

TRAILERBRITE is a hydrofluoric acid-based aluminum cleaner and brightener. Highly concentrated. Powerful. Contains a blend of acids, detergents and corrosion inhibitors that prevent acids from attacking metal surfaces.

Removes oxidation, corrosion and scale. Leaves surface bright and shiny. For use by industrial plants, chemical plants, freight and trucking companies and buildings. Formulated specifically for aluminum trailers and tanks. Can also be used on steel surfaces and aluminum frames.

**HMIS Ratings: H-3, F-0, R-1, P-D.**

Available in 4 x 1 gals., 5 or 6 gal. pails and 55 gal. drums.

### 6632 - BUBBLY

#### Leak Detector

BUBBLY leak detector is the most sensitive leak detector in the industry, with bubbles lasting up to 20 times longer than other leading brands. Suitable for all types of refrigerant, nitrogen and natural gas leaks. Bubbly is oxygen safe and can locate the smallest of leaks. No VOC's.

**HMIS Ratings: H-0, F-0, R-0, P-A.**

Available in 12 x 8 oz. bottles, 12 x 1 quarts and 4 x 1 gals.

### 6660 - CLEAN ICE Ice Machine Cleaner

• Non-fuming & Non-foaming • USDA rated

A stainless steel safe cleaner that quickly removes lime scale from ice-making equipment. This concentrated liquid cleaner acts fast to increase ice quality and capacity when scale deposits are a problem. It may also be used to clean vending machines, soft drink dispensers, coffee urns and humidifiers. Made from good grade materials.

**HMIS Ratings: H-3, F-0, R-0, P-B.**

Available in 24 x 8 oz. bottles and 4 x 1 gals.

### 6662 - SHINY NICKEL

#### Nickel Safe Ice Machine Cleaner

A non-foaming, non-fuming cleaner that quickly removes scale from stainless steel and nickel-plated steel. Contains a blend of organic and inorganic acids that remove lime scale. Special inhibitors are used to minimize corrosion. For use in all makes of ice machines. USDA rated.

**HMIS Ratings: H-3, F-0, R-0, P-B.**

Available in 24 x 8 oz. bottles and 4 x 1 gals.

## AEROSOLS

### GENERAL PURPOSE CLEANERS

### 2070 - WHAM

#### Foaming Citrus Cleaner and Degreaser

WHAM is a heavy-duty, citrus-based, foaming all-purpose cleaner. Combines emulsifiers, surfactants and a citrus cleaner to give superior cleaning action on most surfaces. High density, clinging foam allows use on vertical and irregular areas as well as horizontal surfaces. Great on metal, porcelain, tile, glass, wood, brick and grout. Actually cleans and deodorizes grease, dirt, soap scum, oil and bloodstains. Simply spray and wipe off. Sprays from any angle.

**HMIS Ratings: H-0, F-1, R-1, P-A.**

12-20 oz. cans/case. 18 oz. net wt.



## 2090 - RESCUE

### Foaming Soy/d-Limonene Degreaser

RESCUE Foaming Degreaser is a natural soy and d-Limonene based formula designed for professional applications. The emulsifying, foaming action allows for greater surface coverage making it an economical choice. Removes and dissolves: grease, ink, dyes, glue, oils, grime, labels, latex, asphalt, wax, tar, scuff marks. For use on: formica, porcelain, rollers, quarry and ceramic tile, enamel, stainless steel, aluminum, metals, marble, tools, finished woods, linoleum, printing presses. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-0, P-B.** 12–20 oz. cans/case. 17 oz. net wt.

## 2110 - KLEEN ALL

### All-Purpose Cleaner

KLEEN ALL is a heavy-duty, butyl-based foaming cleaner. Combines emulsifiers, surfactants and a butyl cleaner for superior action on most surfaces. High density clinging foam permits use on vertical and irregular areas as well as horizontal surfaces. Great on metal, porcelain, tile, glass, wood, brick and grout. Gentle enough for everyday cleaning, yet tough on grease, dirt, soap scum, oil and bloodstains, lipstick, smoke film, coffee, cola and stains. Neutral fragrance.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

## 2130 - SHEEN

### Glass Cleaner

SHEEN is a foaming, alcohol-based cleaner. Its superior combination of emulsifiers and surfactants gives quick, one step cleaning on all glass surfaces. Non-ammoniated formula contains no abrasives. Cleans without streaking. Dissolves smoke and grease; wipes away smudges and dirt. Non-static formulation keeps surfaces clean longer. Formulated with rapid wetting agents and surfactants. Eliminates cold weather streaking problems. Pleasant fragrance. Excellent for all hard surfaces including metal, porcelain, formica, chrome and plastics. Uses include appliances, refrigerators, windshields, windows, mirrors and showcases. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 19 oz. net wt.

## 2150 - NO MISCHIEF

### Graffiti Barrier

When applied to hard, non-porous surfaces, NO MISCHIEF forms a protective wax barrier that resists graffiti and other stains. It may be applied to metal, vinyl, formica, enamel and linoleum. Prevents staining and corrosion from urine on bathroom stalls. Keeps food from staining smooth restaurant surfaces such as vinyl booths and plastic or varnished partitions.

Works great on vinyl bus seats, school desks, counters, washroom partitions, lockers, panels, refrigerators, table tops, golf carts, boats, etc. Non-chlorinated.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–16 oz. cans/case. 11 oz. net wt.

## 2210 - GRAFFITI GONE

### Vandalism Mark Remover

GRAFFITI GONE is an extra heavy-duty cleaner which will remove all types of ink without damaging surfaces. Unique gel base stays in place to clean vertical and irregular shapes. Leaves pleasant lemon fragrance. Works great on wood, porcelain, concrete, steel, aluminum, brass, cement and tile. This versatile product removes lipstick, ink, paints, crayon, wax, pencil marks and scotch tape marks.

**HMIS Ratings: H-2, F-3, R-1, P-B.** 12–20 oz. cans/case. 15 oz. net wt.

## 2219 - TAG BREAKER

### Graffiti Remover

TAG BREAKER is extremely effective in removing ink, marker, spray paint, tar and other types of graffiti from all hard surfaces, specifically brick, cinder

block, glass, vinyl upholstery, brass, chrome, ceramic tile, marble, etc. Safe on many plastics. Low odor. May also be used to remove scuff and heel marks from floors and walls. Use on buses, trains, bridges, road signs, walls, etc.

**HMIS Ratings: H-2, F-3, R-1, P-B.**

12–16 oz. cans/case. 10 oz. net wt.  
Private label only.

## 2230 - TOP

### Chalkboard Cleaner

TOP is specially formulated for all types of chalkboards, including dry erase boards and plastic marking boards. Its clinging foam makes cleaning vertical surfaces a breeze. Excellent formula—Leaves no film. A combination of solvents, surfactants and emulsifiers in a water base. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 19 oz. net wt.

## 2350 - TUFSTUFF

### Oven & Grill Cleaner

TUFSTUFF Oven & Grill Cleaner is a water-based cleaner using potassium hydroxide. Clinging gel adheres to all surfaces without running, insuring complete penetration and cleaning. Removes even the most stubborn cooked on food, grease, oil or stains. Restores surfaces to original shine. Do not use on aluminum, copper, galvanized metals, plastics, composition tile or painted surfaces.

**HMIS Ratings: H-3, F-1, R-1, P-B.** 12–20 oz. cans/case. 18 oz. net wt.

## 2500 - DUST B GONE

### Duster

DUST B GONE is a blend of environmentally safe ingredients packaged at high pressure to quickly remove dust, paper chips, staples, paper clips and other foreign material. Use wherever screen cleaner or body cleaner cannot be applied, especially recessed areas. Can also be used as a film duster. Will not harm circuitry or electronic components. For use in offices, homes, darkrooms, schools, restaurants, laboratories and industrial plants. Great for use on monitors, keyboards, office equipment, computers, printers and photographic equipment. Due to VOC regulations, not available for sale in CA and UT.

**HMIS Ratings: H-1, F-4, R-0, P-A.** 12–12 oz. cans/case. 7 oz. net wt.

## 2540 - KLEEN SCREEN

### Special CRT Screen Cleaner

KLEEN SCREEN is a water-based aerosol designed to clean, polish and protect computer monitor screens. An effective product that also cleans all glass surfaces, plastic, chrome, porcelain and painted surfaces. Contains no abrasives. Reduces static electricity. Removes and repels dust, fingerprints, oil and other marks on CRT screens. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–16 oz. cans/case. 15 oz. net wt.

## POLISHES

## 2140 - LEMON LUSTER

### Furniture Polish

LEMON LUSTER is a concentrated carnauba, beeswax and silicone-based cleaner and polish for all types of furniture. Restores original luster while cleaning. Contains an emulsifier and silicone in a water base for effective cleaning and polishing. Quickly cleans dust, dirt, wax buildup, oil, fingerprints, grease and smudges. Excellent for use on wood, plastic, vinyl, metal, ceramic, porcelain, formica and leather. For use on appliances, filing cabinets, furniture, paneling and woodwork trim. Natural lemon fragrance.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt.



## 2160 - SLEEK

### Beeswax and Mink Oil Furniture Polish

SLEEK cleans away dust, dirt, fingerprints and smudges from all types of wood surfaces. Restores color and high luster to fine woods without the rubbing required with paste wax. Eliminates scratches and blemishes. Replaces essential oils to any natural or treated wood surface. Excellent for use on furniture, fine woodwork, cabinets, porcelain, paneling and wood trim. Pleasant lemon scent.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 17 oz. net wt.

## 2220 - SPARKLE

### Water-Based Stainless Steel Cleaner

SPARKLE is a non-abrasive metal surface cleaner. Using emulsifiers and surfactants in a foaming cleaner, this product cleans, shines and polishes in one step. Leaves a long lasting protective coating. Will not scratch or score metal surfaces. Effective for stainless steel, porcelain, aluminum, metal surfaces and tile. Removes grease, oil, grime, stains, water spots and other oily residues.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

## 2260 - SHIMMER

### Citrus Duster & Polish

SHIMMER no wax formula blocks dust from settling on treated surfaces. Apply with cloth or mitt or spray directly on surface. Easy one-step dusting, shining and polishing action. Excellent for use on wood, laminate, formica, marble, plastic, stainless steel, aluminum, porcelain and tile. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

## 2490 - BRILLIANCE

### Oil-Based Stainless Steel Cleaner

BRILLIANCE is an excellent non-abrasive cleaner formulated for hospitals, offices, hotels, restaurants, lockers and institutions. It cleans, brightens, polishes and protects stainless steel. Can be equally effective for use on aluminum, chrome, formica, porcelain and ceramic tile. Minimum effort is required to remove smudges, soil and stains quickly. Forms a shield that resists water marks and rusting. Use to clean fingerprints, smudges, grease and stains from all metal surfaces, paneling, wood and plastics.

**HMIS Ratings: H-1, F-3, R-0, P-A.** 12–20 oz. cans/case. 14.5 oz. net wt.

## CARPET/UPHOLSTERY/ FLOOR CARE

### 2250 - VELVA-SHEEN

#### Dust Mop Treatment

VELVA-SHEEN acts like a magnet to attract lint and dust to dust mops. Quickly saturates treated surfaces but evaporates slowly. Prevents scattering. Use as a dust cloth treatment for small jobs. Leaves surfaces completely free of dust, lint and hair. Restores wood surfaces and leaves all surfaces shining. Formulated to be used in homes, hotels/motels, industrial plants, hospitals, offices, warehouses and institutions. When replacing filters on heating and air conditioning systems, spray the filter to reduce the amount of dust which again becomes airborne. Lemon fragrance.

**HMIS Ratings: H-1, F-1, R-0, P-A.**  
12–16 oz. cans/case. 14 oz. net wt.

### 2280 - FREZE-IT

#### Chewing Gum Remover

FREZE-IT offers an environmentally friendly alternative in gum and wax removal. A frosty blast of air freezes gum and wax instantly, allowing easy removal from many surfaces. Ideal for cooling circuit board components, soldering applications and shrink-fitting small parts. Non-corrosive. Excellent for use in schools, homes and



welding shops. Works great on furniture, carpet, circuit boards, sidewalks, pins, bushings and bearings for easy removal of gum and wax.

**HMIS Ratings: H-1, F-4, R-0, P-A.** 12–12 oz. cans/case. 7 oz. net wt.

### 2290 - BREAKDOWN

#### Active Bacteria and Odor Eliminator

BREAKDOWN is an active bacteria especially designed for easy application on carpets and upholstery to eliminate organic odors, especially pet and body odors. Great in kennels, veterinary clinics, kitchens, bathrooms, hotels/motels, trash receptacles, schools and daycares. Also a laundry pre-spotter to remove organically based odors. Unique inverted valve provides easy application.

**HMIS Ratings: H-0, F-1, R-0, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

### 2300 - ENZO MAGIC

#### Enzyme Active Stain and Odor Eliminator

ENZO MAGIC is a concentrated blend of enzymes and d-Limonene designed to break down organic stains and odors caused by blood, urine, feces, vomit, milk, ketchup, baby food and most other foods. The bio-enzyme formula penetrates, breaks up and removes stains quickly and effectively. Works great in animal shelters, apartments, athletic facilities, nursing homes, hospitals, hotels/motels and schools. Excellent for carpet and upholstery/fabric cleaning. Use alone or in conjunction with other cleaners.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–16 oz. cans/case. 15 oz. net wt. Private label only.

### 2380 - STRIP-EZE

#### Heavy-Duty Cleaner

STRIP-EZE is a gel-based strong cleaner for quick removal of soil and wax on floors, baseboards and wall tiles. Thick gel stays where sprayed. White foam shows where applied, eliminating running and guesswork. Upside-down-only spray valve allows easy application. Excellent in industrial plants, hotels/motels, warehouses, hospitals, schools, offices and institutions. NOTE: Test painted surfaces prior to use.

**HMIS Ratings: H-2, F-1, R-0, P-B.**  
12–20 oz. cans/case. 18 oz. net wt.

### 2460 - GONE

#### Carpet Stain Remover

GONE Carpet Stain Remover is a water-based spot and stain remover. Contains degreasers and surfactants which rapidly clean without damaging carpet fabrics. An odor modifier destroys malodors, leaving a pleasant fragrance. Upside-down valve provides ease of use while standing up. Great in homes, autos, offices, schools, hospitals, restaurants and hotels/motels. Effective on blood, urine, catsup, ink, soft drinks, alcoholic beverages, grease, oil, dirt, mud, vomit, coffee, tea, milk and ice cream.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–16 oz. cans/case. 15 oz. net wt.  
2470 — 12–20 oz. cans/case. 18 oz. net wt. Private label only.

### 2480 - PRESTO

#### Carpet Spotter

PRESTO Carpet Spotter is a uniquely formulated product with a blend of effective dry and wet cleaning compounds and degreasers that quickly removes spots and stains caused by: grease, oil, dirt, mud, salt, ketchup, coffee, alcoholic beverages, soft drinks, chocolate, urine, blood and vomit. Penetrates and cleans without leaving residue. Brightens as it restores nap and texture.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt. Private label only.





## DISINFECTANTS

### 2170 - GERM AWAY Foaming Germicidal Cleaner

GERM AWAY is an EPA registered foaming cleaner and germicide. This water-based aerosol combines butyl cleaners, surfactants and emulsifiers with a quaternary germicide to give heavy-duty cleaning of all surfaces. Safe for use on all bathroom surfaces. Will not harm chrome or metal surfaces. Kills Staphylococcus aureus, Influenza A H1N1, Pseudomonas aeruginosa, Salmonella enterica, Herpes simplex type 1 and Herpes simplex type 2; controls mold, mildew and fungus. Kills MRSA on treated surfaces. Excellent for use on tile, chrome, plastic, wood, porcelain, formica and metal surfaces. Areas of use include bathrooms, bathtubs, floors, hospitals, nursing homes, shower stalls, medical facilities and locker rooms. Sprays from any angle.

**HMIS Ratings: H-1, F-0, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

### PHENOMENAL

#### Fogger

The great PHENOMENAL formula in an adjunct fogger format. One can per 6,000 cubic feet of unobstructed space. For use in and around medical and residential facilities, equipment and vehicles, veterinary offices and animal areas, schools, homes, laboratories, restaurants, food storage and processing areas, offices, factories and industrial areas.

**HMIS Ratings: H-1, F-3, R-1, P-A.** 12–8 oz. cans/case. 6 oz. net wt.

**3030 Phenomenal** (Private label only.)

**3060 Phenomenal** – Linen (Private label only.)

**3080 Phenomenal** – Citrus

### PHENOMENAL

#### Hospital Sanitizer, Disinfectant and Deodorant

PHENOMENAL is a hospital grade disinfectant and deodorant that kills Mycobacterium tuberculosis bovis BCG (Tubercule bacilli), E. Coli, Herpes simplex Types 1 and 2 viruses, Salmonella enterica, Staphylococcus and more. Inactivates HIV (AIDS virus) on precleaned environmental surfaces/objects previously soiled with bloody/body fluids. Kills MRSA and Avian Influenza A Virus H5N1. Contains a blend of powerful phenolic germicides. Controls mildew. Deodorizes areas where foul odors are present. Disinfects toilets, urinals, bathtubs, shower stalls, seats, benches, lockers, partitions, counters, fixtures, knobs, handles, railings, telephones, furniture, equipment and surfaces which could harbor hazardous microorganisms. Sanitizes: Controls Staphylococcus aureus and Klebsiella pneumoniae on porous fabric and leather surfaces, such as on shoes, athletic mats, athletic shoes and other athletic equipment.

For use in hospitals; ambulances; nursing homes; medical and dental offices and clinics; veterinary offices and animal areas; schools; laboratories; hotels and motels; restaurants and cafeterias; food storage, processing, packaging, handling, and serving establishments and equipment; offices; stores; factories and manufacturing plants; and apartment buildings and homes.

**HMIS Ratings: H-1, F-3, R-1, P-A.** 12–20 oz. cans/case. 16.5 oz. net wt.

**3100 Phenomenal**

**3110 Phenomenal** – Country Garden

**3120 Phenomenal** – Citrus

### 3290 - STAF

#### Air Sanitizer

STAF is an EPA registered disinfectant, deodorant and air sanitizer, with a quaternary disinfectant for quick effective germicidal action. Glycolized for effective air sanitization. Pleasantly scented. Kills Staphylococcus aureus, Staphylococcus aureus-MRSA, Pseudomonas aeruginosa, Salmonella enterica. Controls mold, mildew and fungus. Virucidal against HIV-1 (AIDS virus). Disinfects telephones, bed springs, door knobs, linen carts, wheelchairs, light switches, garbage pails and clean, hard, non-porous inanimate surfaces. Designed spe-

cifically for homes, hospitals, nursing homes, institutions, offices, schools, motels and hotels. In addition, this product deodorizes those areas which generally are hard to keep fresh smelling (such as garbage storage areas, empty garbage bins and cans, restrooms, and shower stalls). It will also remove foul musty odors from automobile air conditioning systems caused by mildew and odor producing organisms.

**HMIS Ratings: H-1, F-2, R-1, P-A.**

12–20 oz. cans/case. 16.5 oz. net wt.



## AIR FRESHENERS & DEODORIZERS

### TOTAL RELEASE ODOR ELIMINATORS

#### Solvent Based with Metazene®

Unique odor control effective in eliminating all types of malodors including urine, feces, decay, rancidity, animals, fire, tobacco smoke, cooking and mildew. Neutralizes and destroys odors in up to 6,000 cubic feet of space. This product is not a cover up but chemically destroys the odor molecule, thus eliminating offensive odors. Areas of use include homes, meeting rooms, offices, hospitals, nursing homes, auto detail shops, veterinary clinics, sports clubs, shopping malls, bathrooms, and eating establishments. Two-way valve can be locked down into open position for complete discharge as a room fogger, or lightly depressed for short bursts of spray. Non-staining, dry spray leaves no wet fallout on floors or furniture. Meets all current VOC standards.

**HMIS Ratings: H-1, F-3, R-0, P-A.**

12–6 oz. cans/case. 5 oz. net wt.

**3140 Mulberry**

**3190 Cucumber Melon**

**3260 Linen**

**3280 Orange**

**3450 Fresh N Clean**

**3820 Plumeria**

**3830 Pear**

**3840 Min-Tea**

### JELLED DEODORIZERS

#### with Metazene®

These unique jelled deodorants are designed to be used anywhere offensive odors are a problem. The clinging gel allows product to be applied on horizontal, vertical and irregularly shaped surfaces. Its slow releasing formulation continuously provides fragrance for extended periods of time. Then, the gel will totally evaporate. Ideal for use on hard, non-porous surfaces. Meets all current VOC standards. Spray on air conditioner filters, above doors, in trash receptacles, on walls, in port-a-toilets, above ceiling fans and behind toilets. Areas of use include homes, schools, offices, bathrooms, locker rooms, drains, automobiles, trash cans, kennels, basements and closets.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

12–20 oz. cans/case. 15 oz. net wt.

**3130 Fiesta Orange Twist** – Citrus Fragrance

**3200 Fiesta Sweet Dreams** – Mulberry Fragrance

**3770 Fiesta Cucumber Melon** – Cucumber Melon Fragrance\*

\*Private Label Only



### DRY DEODORIZERS

#### with Metazene®

Dry mist counteractants quickly freshen entire areas such as laundry hampers, garbage pails, auto interiors, offices, gym lockers, closets and more. This specially formulated malodor counteractant eliminates the toughest odors such as tobacco smoke, vomit or urine that linger even after the source has been removed. The light formulation travels with air flow and destroys the odors where they hang. Special two-way valve allows spraying both right side up or

upside down. Non-staining, leaves no wet fallout on floors or furniture. Meets all current VOC standards.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–20 oz. cans/case. 10 oz. net wt.

- |                          |                             |                             |
|--------------------------|-----------------------------|-----------------------------|
| <b>3170 Spun Sugar*</b>  | <b>3390 Vanilla</b>         | <b>3480 Linen</b>           |
| <b>3210 Mandarin*</b>    | <b>3400 Mango</b>           | <b>3490 Piña Colada*</b>    |
| <b>3340 Spring Mist</b>  | <b>3420 Rain Barrel</b>     | <b>3510 Limon*</b>          |
| <b>3350 Ocean Breeze</b> | <b>3430 Orchid*</b>         | <b>3520 Cashmere*</b>       |
| <b>3360 Mulberry</b>     | <b>3460 Red Hot</b>         | <b>4020 Fresh N Clean*</b>  |
| <b>3370 Baby Powder</b>  | <b>3470 Meadow Showers*</b> | <b>4030 Cucumber Melon*</b> |
| <b>3380 Orange Cream</b> |                             |                             |

\*Private Label Only

## METERED AIR FRESHENERS with Metazene®

The Fiesta metered air fresheners chemically neutralize unpleasant odors. Products can be used in conjunction with many automatic actuating aerosol dispensers that deliver fresh fragrance every 15 minutes. One can keeps an area deodorized for up to 30 days. All active ingredients are released, making this the most effective technology for odor counteracting on the market today. The fine, dry mist is non-staining. Fragrance stays suspended in air long after the odor has been destroyed, creating a pleasant atmosphere. Areas of use include homes, airports, office buildings, hospitals/nursing homes, veterinary clinics, sports clubs, shopping malls, eating establishments, beauty shops, boutiques, day spas, tanning salons and doctors' offices.



**HMIS Ratings: H-1, F-3, R-0, P-A.** 12–12 oz. cans/case. 7.25 oz. net wt.

- 3790 Fiesta Fall Harvest** – Red Apple
- 3850 Fiesta Day Spa** – Bird of Paradise
- 3860 Fiesta Rain Barrel** – Summer Rain
- 3870 Fiesta Pure N Clean** – Odor Neutralizer
- 3880 Fiesta Autumn Breeze** – Cinnamon
- 3890 Fiesta Limon** – Lemon-Lime
- 3900 Fiesta Orange Smoothie** – Orange Cream
- 3910 Fiesta Tango Madness** – Mango
- 3920 Fiesta Gentle Whisper** – Potpourri
- 3930 Fiesta Summer Sorbet** – Pear
- 3940 Fiesta Herb Garden** – Green Tea & Mint
- 3950 Fiesta Spell Bound** – Strawberry
- 3960 Fiesta Clean Cotton** – Linen
- 3970 Fiesta Moon Beam** – Vanilla
- 3980 Fiesta Ocean Breeze** – Fresh Scent
- 3990 Fiesta Sweet Scentsation** – Mulberry

## INSECTICIDES/HERBICIDES

### VS 102 Vanilla scent / CS 101 Cherry scent Roach and Ant Spray

VS 102 and CS 101 Roach and Ant Sprays are EPA registered residual crack and crevice sprays. These solvent-based insecticides are formulated with ETOC for the fastest knockdown possible, killing bugs instantly. They kill a broad spectrum of insects on contact. Also contain esfenvalerate for residual treatment up to 7 weeks. Provide total control of crawling insects. For use by pest control applicators and janitorial maintenance workers to control ants, roaches, carpet beetles, silverfish, mosquitoes, crickets, spiders, waterbugs, scorpions, sowbugs, fleas and ticks in and around homes, hotels/motels, warehouses, schools, office buildings, industrial plants, restaurants and retail outlets. VS 102 has a pleasant vanilla fragrance; CS 101 has a cherry fragrance.

**HMIS Ratings: H-1, F-2, R-1, P-B.** 12–20 oz. cans/case. 15 oz. net wt.

- 4250 VS 102** Vanilla Scent      **4290 CS 101** Cherry Scent

### 4260 - STORMTROOPER Fire Ant Killer

STORMTROOPER is an EPA registered water-based aerosol fire ant killer. Contains synergized Permethrin and Tetramethrin, which provide quick killing action and residual control for up to four weeks. Produces a dense expanding foam which penetrates deep into the mound, increases contact time and blocks escape routes. One can treats 8–10 small mounds, 6–8 medium mounds or 4–6 large mounds. For use by landscapers, lawn maintenance workers, pest control applicators and homeowners to control fire ants in/around hotels/motels, golf courses, large landscaped areas, pedestrian areas, farms, homes and business parks. Each case contains one mound injector.



**HMIS Ratings: H-1, F-1, R-1, P-A.**  
12–20 oz. cans/case. 18 oz. net wt.

- 4260 Stormtrooper**  
**426000001-01PK Single Can and Mound Injector**  
**E10000045-XROD Fire Ant Mound Injector**

### 4320 - ON TIME Metered Insecticide

ON TIME Metered Insecticide can be used in commercial, food service and preparation areas of milk houses, hospitals, hotels, motels, factories, stores, ships, clubs, restaurants and schools. This blend of natural pyrethrin, piperonyl butoxide and MGK® 264 is effective on flies, mosquitoes and gnats. One can will treat up to 6,000 cubic feet of air space for 30 days, 24 hours a day.

**HMIS Ratings: H-2, F-2, R-0, P-A.** 12–12 oz. cans/case. 6.5 oz. net wt.

### 4350 - BUG BAN Personal Insect Repellent

BUG BAN is an EPA registered personal insect repellent. Contains 14.25% DEET to repel mosquitoes, biting flies, chiggers and ticks. Repels mosquitoes which may carry diseases Zika Virus, West Nile Virus and Encephalitis. A must-have product for anyone working outdoors, such as utility workers, lawn maintenance professionals and construction workers. Excellent for campers, golfers, athletes, hunters and other outdoor enthusiasts. Unique valve system allows user to spray the product in any direction. Non-oily formula will not stain clothing. Handy 8 oz. can is easy to carry.

**HMIS Ratings: H-1, F-2, R-1, P-A.** 12–8 oz. cans/case. 6 oz. net wt.

### FOGASOL II Total Release Room Fogger


FOGASOL II is an EPA registered, water-based total release fogger. This product contains permethrin, pyrethrin and MGK® 264. Its total release action provides trouble free one-step killing action. The fogging mist penetrates to all areas for thorough insecticidal action. Designed with a special lock down valve for total release of product. Formulated to kill cockroaches, crickets, ants, mosquitoes, fleas, rice weevils, saw-tooth grain beetles, ticks, flies and small flying moths. Areas of use include rooms, apartments, homes, attics, basements, campers, boats, garages, cabinets, storage and pet sleeping areas. One unit of 4370 treats up to 9,000 cubic feet and one unit of 4380 treats up to 6,000 cubic feet.

**HMIS Ratings: H-1, F-2, R-1, P-A.**

- 4370 Fogasol II** — 12–12 oz. cans/case,  
9 oz. net wt.  
**4380 Fogasol II** — 12–8 oz. cans/  
case, 6 oz. net wt.

### 4390 - STOMP Wasp and Hornet Spray

STOMP is an EPA registered, high dielectric, non-chlorinated wasp and hornet spray. This product sprays 15 to 20 feet and can be used indoors in attics and other places



where nests are built or outdoors on hornet, wasp and yellow jacket nests. Can also be used to quickly knock down flying pests outdoors. Nests should be treated in the evening when insects have returned to the nest. Dielectric strength of 40,100 volts by ASTM test method D-877. For use in and around schools, hospitals, industrial plants, tank farms, warehouses, attics, basements and patios.

**HMIS Ratings: H-2, F-1, R-1, P-A.** 12–20 oz. cans/case. 12 oz. net wt.

#### 4400 - SHOOTER

##### Water-Based Fogger

SHOOTER is an EPA registered fogger for use in rooms, apartments, homes, attics, basements, campers, boats, household storage areas, garages, pet sleeping areas and cabins. One 6 ounce canister of fogger treats a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space. Kills ants, cockroaches, fleas, spiders, mosquitoes, houseflies and others listed.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–8 oz. cans/case. 6 oz. net wt.

#### 4410 - SMOKE 'EM

##### Dry Fog Flying Insect Killer

SMOKE 'EM is an EPA registered, water-based insecticide created with the latest scientific technology to be among the most powerful insecticides on the market. Smoke 'Em kills flying insects on contact. May be used in food processing areas. Use to control flies, mosquitoes, gnats, midges, wasps, hornets, and flying moths (millers).

**HMIS Ratings: H-1, F-2, R-0, P-B.** 12–20 oz. cans/case. 14 oz. net wt.

#### 4420 - DYNAMO

##### Wasp and Hornet Killer

DYNAMO is an EPA registered, non-conductive, non-chlorinated wasp and hornet killer. The jet spray will reach nests up to 20 feet above ground. This product has a high dielectric strength of 47,300 volts. Can be used where nests are built on hornets, wasps, bees and yellow jackets. Kills with residual action as wasps & hornets return to the nest. Acts as a barrier that prevents insects from entering the home. Nests should be treated in the evening when insects have returned to the nest. For use in and around schools, hospitals, industrial plants, tank farms, warehouses, attics, basements and patios.

**HMIS Ratings: H-2, F-1, R-0, P-A.** 12–20 oz. cans/case. 12 oz. net wt.

#### 4520 - DOOM

##### 2,4-D Solvent-Based Weed Killer

DOOM is an EPA registered solvent-based weed killer. It is a combination of 2,4-D and Bromacil. This combination insures rapid top kill of all weeds and will also prevent future growth up to one year. Upside down valve allows ease of use. Can sprays upside down only. An excellent product for use on johnson grass, crabgrass, foxtail, barnyard grass, dandelions, weeds, lambs quarter and broomsedge. For industrial plants, loading docks, parking lots, fence rows, storage yards, tank farms, railroad sidings, homes and buildings.

**HMIS Ratings: H-2, F-3, R-1, P-B.** 12–20 oz. cans/case. 16.5 oz. net wt.

#### 4540 - ERADICATOR

##### Multi-Purpose Insect Spray

- Kills and controls bedbugs
- Kills on contact
- Up to four weeks residual killing action
- No fragrance
- Broad spectrum spray kills a wide range of pests

ERADICATOR is an EPA registered water based aerosol true multi-purpose insect killer. Contains the synthetic pyrethroid permethrin for quick knockdown and up to four weeks residual control of crawling and flying insects. Non-staining formula controls bedbugs and many other crawling insects. Controls houseflies, mosquitoes and many other flying insects. For use on dogs and on premises to control fleas and ticks. For use on livestock to control flies, fleas and gnats. Controls garden insects on ornamentals and plants. Authorized for use in



animal quarters and milk houses. Kills and controls bedbugs, cockroaches, mosquitoes, crickets, spiders, scorpions, fleas and ticks, houseflies, mosquitoes, gnats, fruit flies, black flies, carpet beetles, clothes moths, palmetto bugs, silverfish, centipedes, garden insects and more. For use in homes, hotels/motels, airports, barns and livestock areas, kennels, and more.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–20 oz. cans/case, 16 oz. net wt.

#### 4580 - BUG BAN PLUS

##### Personal Insect Repellent

BUG BAN PLUS is an EPA registered personal insect repellent. Contains 22.56% DEET plus two additional repellents and synergists to provide outstanding repelling action. Repels mosquitoes, biting flies, chiggers, ticks and other flying insects including fleas exposed on skin. Repels mosquitoes which may carry diseases Zika Virus, West Nile Virus and Encephalitis (St. Louis, Eastern equine, Western equine, LaCrosse, Cache Valley). Unique valve system allows user to spray the product in any direction. Non-oily formula won't stain clothing. Handy 8 oz. can is easy to carry.

**HMIS Ratings: H-1, F-2, R-1, P-A.** 12–8 oz. cans/case. 6.5 oz. net wt.



## INDUSTRIAL MAINTENANCE AEROSOLS

### DEGREASERS

#### 5000 - d-GREAZ

##### Organic Solvent Degreaser

d-GREAZ was developed to provide a safer way to clean grease, tar, oil and grime from electrical and mechanical equipment. Concentrated formula contains no chlorinated or fluorinated solvents, making it ideal for use in environmentally conscious situations or where highly toxic products are not suitable. For electrical motors, machinery, tools, molds, dies, and engines. Areas of use include machine shops, aircraft equipment, drilling rigs, industrial plants, office equipment, automotive shops, cleaning and maintenance services, schools and educational services, health service maintenance, and restaurants. Pleasant citrus fragrance.

**HMIS Ratings: H-1, F-2, R-0, P-A.** 12–16 oz. cans/case. 12 oz. net wt.

#### 5020 - QUIK SOLV

##### Solvent Degreaser

QUIK SOLV replaces chlorinated solvent degreasers, providing industry with an excellent solvent on oils, greases, waxes, resins, epoxies, polymers, and more. It is non-flammable, fast drying, non-conductive, and leaves no residue. Cleans most metals including aluminum, magnesium, copper, brass, tin plate, and more without dulling, corroding, oxidizing or staining. Safe on most plastics used in contact and circuit board construction. If unsure of compatibility, test in an inconspicuous area prior to use.

For use on electric motors, power tools, printing presses, refrigeration and air conditioning equipment, generators and starters, office machines, ultrasonic cleaners, film cleaning equipment and other machinery. Areas of use include auto repair shops, factories, print shops, machine shops, aircraft services, HVAC services, and electrical maintenance services. Due to VOC regulations, this product is not available for sale in California, Connecticut, Maryland, Pennsylvania, New Jersey, Ohio, Massachusetts, Maine, Michigan, New York, Delaware, Virginia, the District of Columbia, New Hampshire and Utah.

**HMIS Ratings: H-2, F-1, R-0, P-B.** 12–16 oz. cans/case. 12 oz. net wt. 5030 — 12–20 oz. cans/case. 20 oz. net wt., Private label only.

## 5050 - A.F.D.

### Citrus Based Water Soluble Degreaser

A.F.D., a high pressure, water soluble degreaser, flushes away grease, tar and asphalt from hard surfaces. Contains no petroleum distillates. Degreases trucks, removes printer's ink, tire marks, soap scum, decals and adhesives, cleans motors and equipment, de-tars vehicles, loosens chewing gum and candle wax from hard surfaces, cleans fuel oil deposits from metal surfaces. Areas of use include: Petroleum industry areas, sewage plants, service stations, garbage trucks, auto detailers, schools, restaurants, offices, apartments. Due to VOC regulations, this product is not available for sale in California, Connecticut, Maryland, Pennsylvania, New Jersey, Ohio, Massachusetts, Maine, Michigan, New York, Delaware, Virginia, the District of Columbia, New Hampshire, Illinois, Indiana and Utah.

**HMIS Ratings: H-1, F-2, R-0, P-B.**

12–20 oz. cans/case. 16 oz. net wt.

## 5060 - BIG ORANGE

### Oil, Tar and Asphalt Remover

BIG ORANGE contains a natural orange oil solvent to quickly cut through tar, asphalt, gum, ink, crayon, tough soils, paint overspray and more. No chlorinated solvents or other ozone depleting chemicals. No harmful or unpleasant fumes. Will soften some surfaces, including some plastics; use with care. Test in an inconspicuous area prior to use. Areas of use include homes, schools, detail services, offices, factories, convenience stores, hotels and motels. Pleasant orange fragrance.

**HMIS Ratings: H-1, F-3, R-1, P-B.**

12–16 oz. cans/case. 12 oz. net wt.

## 5080 - TAR BLITZ

### Soy Solvent Degreaser

TAR BLITZ quickly removes grease, tar, asphalt, oil, glue, ink, labels and scuff marks. Environmentally friendly formula makes it the ideal product for use where highly toxic products are not suitable. The highly effective solvent is derived from natural soybeans and citrus. Non-flammable, VOC compliant in all 50 states. Rinses clean with water. Sprays from any angle.

**HMIS Ratings: H-1, F-2, R-0, P-B.**

12–20 oz. cans/case. 15 oz. net wt.

## 5110 - SOY THAT AGAIN?

### Safe Solvent Degreaser

SOY THAT AGAIN? is a safe solvent degreaser formulated with plant derived materials. Ideal for use in facilities where low odor is a must and other environmentally sensitive situations. Replaces highly volatile materials such as chlorinated solvents, petrochemical based cleaners and terpenes. This neutral pH, non-flammable, bio-based product provides superior cleaning and degreasing. Removes grease, oil, dirt, grime and carbon. VOC compliant. Biodegradable. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-0, P-B.**

12–20 oz. cans/case. 15 oz. net wt.



## 5120 - QUIKLEEN II

### Solvent Cleaner

QUIKLEEN II is a non-flammable and non-conductive parts cleaner. Safe for use on metal parts, electric motors and electronic subassemblies. Quickly cleans oil, grease and dirt from parts without leaving residue. Dries quickly. Displaces moisture from electric motors. Can be used while equipment is operating. Dielectric strength of 29,000 volts. Test before use on any plastic. For electrical motors, ignition systems, electronic parts, and refrigeration equipment. Areas of use include machine shops, factories, offices, automotive repair shops, printing industry, electrical maintenance services, marine sales and repair. Due to VOC regulations, this product is not available for sale in California, Connecticut, Maryland, New Jersey, Massachusetts, Maine, Michigan, New York, Delaware, the District of Columbia, Illinois, Rhode Island and Utah.

**HMIS Ratings: H-2, F-1, R-0, P-C.**

12–16 oz. cans/case. 16 oz. net wt.

5130 — 12–20 oz. cans/case. 18 oz. net wt. Private label only.

## 5160 - ELECTRO-CLEAN

### Energized Electrical Equipment Cleaner

ELECTRO-CLEAN is USDA authorized, non-flammable and non-conductive. Safe for use on metal parts, electric motors and electronic subassemblies. Quickly cleans oil, grease and dirt from energized electrical equipment without leaving residue. Can be used while equipment is operating. Dielectric strength of 29,000 volts. Product must be tested prior to using on any plastic. For energized electrical equipment such as electric motors, armatures, relays, electric panels, generators and similar equipment. Areas of use include machine shops, factories, industrial plants, offices, automotive and bus repair shops, printing industry, electrical maintenance services, marine sales and repair. VOC compliant in all states.

**HMIS Ratings: H-2, F-1, R-0, P-C.**

12–16 oz. cans/case. 16 oz. net wt.

5170 — 12–20 oz. cans/case. 18 oz. net wt. Private label only.

## 5180 - KICK OFF

### Safety Solvent

KICK OFF is a high powered, non-flammable, non-conductive solvent that dissolves grease and rinses away dirt and grime from hard surfaces without injury to working parts. Contains an acceptable replacement for 1,1,1 trichloroethane under the EPA SNAP program. Contains no CFC's. Featuring a 30,000 volt dielectric strength combined with non-flammability makes this an exceptional degreaser safe for use on electric motors, generators, relays and control panels while equipment is in operation. Dries fast and residue free. No flash point. Cleaning is quick and simple with the powerful flushing action of the solvent without the danger of injury to working parts.

**HMIS Ratings: H-2, F-1, R-0, P-B.**

12–20 oz. cans/case. 19 oz. net wt.

Private label only.



## 5190 - JETT SPRAY

### Super Power Foam Spray Degreaser

JETT SPRAY's high impact, industrial strength foam shoots a long distance to areas other degreasers cannot reach. The dense foam expands to penetrate cracks and crevices and provides long lasting, hard working coverage to engines, tools, industrial equipment and concrete. The water soluble, citrus based formula removes the toughest dirt and grease, but easily rinses away with water. Also excellent for use on air conditioning, heating and refrigeration coil fins. Leaves a fresh citrus fragrance. Due to VOC regulations, this product is not available for sale in California and Utah.

**HMIS Ratings: H-1, F-1, R-0, P-B.**

12–20 oz. cans/case. 16 oz. net wt.

## 5200 - CRASH

### Heavy-Duty Foam Degreaser

CRASH is an ultra dense foam which allows for extended degreasing time to clean deep down into the microscopic pores of the surface. It deodorizes while degreasing and leaves a citrus scent. Combines nature's unique cleaning capabilities with a powerful mega force spray foam to create the ultimate biodegradable cleaning product.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

12–20 oz. cans/case. 16 oz. net wt.

## 5230 - TOUGH GUY

### Super Concentrated Degreaser & Tar Remover

TOUGH GUY's gel formula degreases motors on automobiles, trucks, tractors, lawn mowers, boats, etc. Excellent for degreasing industrial machinery, lawn and turf equipment, municipal equipment, concrete floors and driveways, boat bilges, vertical surfaces, ceilings, engines, tools and hard-to-reach areas. Removes tar, asphalt and grease from all types of vehicles, equipment and masonry surfaces such as brick, stone, concrete, metals, ceramic tile, quarry tile, etc. Emulsifies tar, asphalt, bitumen and asphalt base plastic cements and mono-form roofing compounds used by roofers.

**HMIS Ratings: H-2, F-2, R-0, P-B.**

12–20 oz. cans/case. 17 oz. net wt.

## 8070 - PAD KLEEN Spray Degreaser Solvent

A fast acting, quick drying, chlorinated hydrocarbon solvent. Will not short motors or electrical equipment. High dielectric, non-explosive, non-flammable, non-corrosive and dries clean. Aerosol sprays solvent into hard-to-reach areas and instantly dissolves grease, grime, oils, waxes, gums, tars and is excellent for adhesive cleanup. Due to VOC regulations, unavailable for sale in California, Connecticut, Maryland, New Jersey, Massachusetts, Maine, Michigan and Utah.

**HMIS Ratings: H-2, F-0, R-0, P-B** 12–20 oz. cans/case. 18 oz. net wt.

## LUBRICANTS

### 5210 - MC-FREE Dry Moly Methylene Chloride-Free Dry Film Lubricant

- Temperature range -40°F to +662°F
- Resists pressures up to 250,000 psi
- Adheres to metal, glass, rubber & most plastics
- Non-chlorinated, non-corrosive & non-conductive

MC-FREE is a methylene chloride free dry film lubricant offering superior long-lasting performance. Molybdenum and graphite anti-seize dry coating resists dust and abrasive particles. Withstands water, oil, alkalis and most acids. Forms a strong bond to metal—will not wipe off easily. May be used at higher temperatures—will not carbonize. Formula is more readily accepted by safety directors. May be used as a release agent.

**HMIS Ratings: H-2, F-3, R-0, P-B.** 12–16 oz. cans/case. 11 oz. net wt.  
5220 — 12–20 oz. cans/case. 14 oz. net wt. Private label only.

### 5310 - KOPPER LUBE Copper-Based Anti-Seize

KOPPER LUBE is a copper-based anti-seize lubricant formulated to withstand high temperatures and extreme pressures. Continues ground conductivity better than ordinary lubricants. Imbedded with copper to improve conductivity. Seals out moisture, gases and corrosive fluids from threaded connections. Contains rust and corrosion inhibitors to assure long life of connectors. Temperature Range -20°F to +1800°F

**HMIS Ratings: H-1, F-3, R-1, P-B.** 12–16 oz. cans/case. 12 oz. net wt.

### 5340 - MR. MECHANIC Lubricant



MR. MECHANIC is a greaseless light-duty lubricant for general use. Contains a light mineral oil in a petroleum distillate base with a corrosion preventative for long lasting protection. Lubricates, penetrates and prevents rust, giving four-way protection to nuts, bolts, corroded parts, door hinges, locks, machine parts, gears, slides, wire cable and other turning and sliding parts. Aerosol packaging allows convenient use on small parts and for spot applications, eliminates waste due to drips and spills. Flammable. Do not apply in the presence of possible sources of ignition. For use around garages, oil rigs, homes, machine shops, assembly plants, electronics repair shops, service stations, locksmiths, industrial shops,

factories and air conditioner repair shops from any angle.

**HMIS Ratings: H-1, F-3, R-0, P-A.** 12–16 oz. cans/case. 12 oz. net wt.  
5350 — 12–20 oz. cans/case. 15 oz. net wt. Private label only.

### 5360 - AQUA-LUB Non-Flammable Lubricant

AQUA-LUB is specially formulated to give excellent lubrication, corrosion prevention and cleaning of all metal parts. Quickly penetrates corrosion, rust and moisture to free and loosen stuck parts and provide lubrication. Formula is non-flammable and non-conductive to 29,000 volts. Cleans, lubricates, penetrates and prevents rust for true four-way action. Areas of use include indus-

trial machinery, machine shops, homes, cars, trucks, oil rigs, machine parts, hotels and motels. Due to VOC regulations, not available for sale in CA and UT.

**HMIS Ratings: H-2, F-1, R-0, P-C.** 12–16 oz. cans/case. 16 oz. net wt  
Private label only.

### 5370 - SILI LUBE Heavy-Duty Silicone Spray

SILI LUBE Silicone Spray is a multi-purpose silicone spray. Non-flammable formula is safe to use in plant areas. Contains a high viscosity silicone for long lasting lubrication and protection. Non-conductive to 28,000 volts. Stable in temperatures up to 400°F. Waterproof and rustproof. Cleans, shines and leaves a protective film on rusted parts, wire cable, door hinges, chains, hoists, pulleys, cranes, fork lifts, sprockets, gears, blocks and tackle, conveyors, construction machinery, industrial parts and locks. Areas of use include farms, oil rigs and refineries, bottling plants, dairies, paper mills, cotton gins, air conditioning, industrial plants, and automotive/motorcycle/marine repair.

**HMIS Ratings: H-2, F-0, R-1, P-C.** 12–16 oz. cans/case. 15 oz. net wt.

### 5380 - SLIDE OUT Dry Silicone Spray—Food Grade

SLIDE OUT Dry Silicone Spray—Food Grade is designed to lubricate equipment used in the packaging and processing industry. Leaves a non-staining dry pure silicone film to lubricate moving parts, reducing friction and wear. Heat stable from -450°F to 450°F. Also formulated as a release agent on seals and gaskets of tank closures. Lubricates all sliding surfaces except those you wish to paint. Excellent on RV slide outs. Use on sticking metal, wood, rubber and plastic. Apply to cutting tables, conveyors, heat sealing equipment and slicing equipment. Waterproofs leather, canvas, rubber and chrome surfaces. Safe on all plastics. Contains no methylene chloride. Will not melt, freeze, gum or become rancid. Concentrated—a little goes a long way. An excellent product for food processing plants, restaurants, apparel and accessory manufacturing, RV dealers, hotels, machine shops, homes, auto/RV repair shops and institutions. NSF approved H1.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–20 oz. cans/case. 11.5 oz. net wt.

### 5400 - PURITY Food Grade Lubricant & Protectant

- Non-toxic, odorless and tasteless
- NSF approved H1
- Contains no silicone

PURITY is a lubricant made up of USP liquid petrolatum and propellant, providing a sanitary means of lubricating dairy and food processing equipment. Complies with FDA regulations, CFR Title 21, paragraphs 172.878 and 173.3620. An excellent product for use on slides, bearings, pistons and rings, seals and pump parts, pans, containers, belts, etc. Great for use in fast service food preparation, cut meat cold room packaging in supermarkets, packaged meat units for franchise outlets, ice cream filling equipment, milk bottle equipment.

**HMIS Ratings: H-1, F-3, R-0, P-A.** 12–20 oz. cans/case. 16 oz. net wt.

### 5420 - GEAR LUBE EF Open Gear Lubricant

GEAR LUBE is a multi-purpose, heavy-duty tar-based open gear lubricant in a convenient aerosol. USDA authorized. This thick tacky fluid sticks to the surface where applied. Temperature stable to 175°F+. Special formula allows material to stretch, insuring contact with all gear surfaces. Use on gears, steel cables, gear boxes, winches, air conditioners, foundries, cranes, pumps, plows, dozers, loaders, graders, scrapers, motors, press fittings and compressors. Industries include: automobile manufacturers, farm and machinery operators, highway paving contractors, automobile and motorcycle repair, amusement park maintenance, industrial machinery operators, metal manufacturers, airport terminals and HVAC maintenance and repair.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–16 oz. cans/case. 12 oz. net wt.



## 5440 - MOLI-GUARD

### Dry Moly Lubricant

MOLI-GUARD is a molybdenum disulfide dry film lubricant that withstands high pressures and temperatures. Prevents rust and corrosion by displacing moisture. Reduces metal to metal contact on treated surfaces. Quick drying, non-tacky finish adheres well to all metals, most plastics, glass and rubber. Service temperatures range from -40°F to 600°F. Molybdenum disulfide replaces graphite to free frozen surfaces, stop galling and seizing of metals and prevent chattering, extending the life of machinery and equipment. Provides a protective barrier that resists dust and abrasive particles and withstands water, oils, alkalis and most acids. Ideal for lubricating surfaces where a liquid lubricant is not practical. Use on high speed gears, machine tools, pump assemblies, conveyors, bearings, wire cable, pipe, engines, heavy equipment. Areas of use include industrial plants, oil rigs, pipe yards, construction areas, machine shops, farm equipment, repair services, office machines, aircraft manufacturers and suppliers and commercial printers.

**HMIS Ratings: H-2, F-3, R-1, P-B.** 12–16 oz. cans/case. 12 oz. net wt. 5449 – 12-20 oz. cans/case. 15 oz. net wt. Private label only.

## 5460 - SURRENDER EF

### Anti-Seize

SURRENDER EF Anti-Seize contains molybdenum disulfide, graphite and aluminum in a thick grease base. Helps eliminate seizing of threaded parts. Temperature service ranges from -20°F to 750°F. Helps cool hot bearings. Does not contain any chlorinated or fluorinated solvents. For engine parts, threaded fittings, nuts and bearings. Areas of use include machine shops, industrial plants, construction companies and automotive shops.

**HMIS Ratings: H-1, F-3, R-1, P-G.** 12–16 oz. cans/case. 13 oz. net wt.

## 5660 - MICRO-DRY

### PTFE Dry Lubricant

• No Hexane • Oil free • Colorless, non-staining, low odor  
MICRO-DRY is a no mess, non-staining dry lubricant. The low odor, colorless formula is non-oily but slicker than silicone and graphite. Excellent anti-stick properties for an effective release on die casts and injection molds. Contains an extremely fine polytetrafluoroethylene powder, creating a lubricant film effective over a wide temperature range (-100°F to 500°F). Excellent for use on hinges, gears, metal extrusions, axles, pulleys, bushings, munitions, locks and catches, synthetic filters, machine parts, cord, twine or rope, chains, paper, glass, leather and elastomers. Use as a release agent on conveyor belts, chutes and skids, industrial blenders, bins and spray booths.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–16 oz. cans/case. 10 oz. net wt. 5670 — 12–20 oz. cans/case. 12.5 oz. net wt. Private label only.

## 5760 - NUCHAIN

### Chain and Cable Lubricant with Moly

NUCHAIN Chain and Cable Lubricant with Moly is specially designed to provide maximum protection to wire ropes and chains of all types. Completely penetrates into the strands of wire ropes, providing the ultimate in lubrication. Does not build up on chains to attract dust or dirt. Continued use reduces chain whip, vibration and noise, also protects against galling, seizing and wear, thus adds life to chain cable and sprockets. Loosens rusted parts and lubricates wire cable, door hinges, chains, hoists, rollers, pins, bushings, pulleys, cranes, fork lifts, sprockets, gears, blocks and tackle, conveyors, construction machinery, industrial parts and locks. Areas of use include farms, oil rigs and refineries, bottling plants, dairies, paper mills, cotton gins, air conditioning, industrial plants, textile plants, lumber mills, cement plants and automotive/motorcycle/marine repair.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–16 oz. cans/case. 12.5 oz. net wt.

# PENETRANTS

## 5280 - PEN EASE

### Food Grade Penetrating Oil

- Light, clean, quick penetrant
- Excellent rust preventative
- Speeds up disassembly and retooling
- Food-processing friendly
- Loosens corroded parts
- Gives long-lasting lubrication

PEN EASE Food Grade Penetrating Oil is designed for use as a penetrating oil for applications requiring a product which meets NSF H1 requirements. It is used to loosen and free hard to remove nuts, bolts, screws, etc. This formulation is also an excellent rust inhibitor. It meets the requirements for incidental food contact and is safe for all metal surfaces and most plastics. Comes with a pinpoint spray extension applicator to reach the most difficult areas and to extend the distance it can be sprayed. Provides high-performance penetrating lubrication while maintaining food-grade integrity. A high percentage of rust inhibitors also makes this an excellent H1 spray-down oil to help eliminate rust after pressure washing or steam cleaning of equipment.

**HMIS Ratings: H-1, F-0, R-0, P-A.** 12–20 oz. cans/case. 15 oz. net wt.

## 5300 - LOOSE SCREW

### 4-in-1 PTFE Lubricant

LOOSE SCREW is a non-flammable, 4-in-1 formula that penetrates, lubricates, displaces moisture and resists corrosion. Displaces water and moisture from electrical equipment such as contact points and automotive distributors, machinery parts, guns and equipment. Fortified with PTFE. Contains no ozone depleters. Conforms to Military Specifications MIL-C-23411 for corrosion prevention. Great for use on motors, wire cable, rusted parts, ignition systems, machine parts, door hinges, locks, nuts and bolts and refrigeration equipment. Used by factories, truck lines, delivery services, transit systems, schools, machine shops, service stations, airlines, air maintenance shops, industrial plants, oil rigs, hotels/motels and general industries. Due to VOC regulations, not available for sale in California and Utah.

**HMIS Ratings: H-2, F-1, R-0, P-C.**

12–20 oz. cans/case. 19 oz. net wt.

## 5320 - GENESIS

### Penetrating Lubricant

GENESIS penetrating lubricant will loosen dirt and scale from painted and plated surfaces. Remove loosened scale and spray again to cover surface. Liberal application will loosen threads, tightly fitted parts, sliding and rotating parts, bolts, hinges and pins which have been “frozen” by corrosion. It protects electrical gear, metal and other surfaces from deterioration by displacing water and moisture and sealing all surfaces with a complete molecular film. It preserves equipment, thus reducing repair and maintenance costs. Never becomes dry, brittle or hard. Protects the properties of insulating substances and does away with wicking. The conductivity of commutators and contacts is protected by the formula. Can be used on either dry or wet surfaces. To ensure adequate protection, periodic checks should be made to determine the need for reapplication. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-0, P-A.**

12–16 oz. cans/case. 12 oz. net wt. 5330 — 12–20 oz. cans/case. 15 oz. net wt. Private label only.

## 5500 - PIERCE

### Penetrating Lubricant

PIERCE Penetrating Lubricant provides four-way action to clean, lubricate, prevent rust and penetrate. Non-flammable and non-conductive to 30,000 volts. Silicone-free formula will not interfere with subsequent painting. Meets MIL Spec C-2344. For use on motors, wire cable, rusted parts, ignition systems, machine parts, door hinges, locks, nuts and bolts and refrigeration equipment. Areas of use include homes, hotels/motels, airplanes, cars and trucks, machine shops, oil rigs, manufacturing facilities, industrial plants and factories. Due to VOC regulations, not available for sale in California and Utah.

**HMIS Ratings: H-2, F-1, R-0, P-G.**

12–16 oz. cans/case. 16 oz. net wt. 5090 — 12–20 oz. cans/case. 18 oz. net wt. Private label only.



## 5510 - OUTBREAK Cherry Penetrating Oil

OUTBREAK penetrating oil is a premium formula that displaces moisture and rapidly breaks down rust. Excellent for removing parts, fasteners and mating connections, as well as protecting metal from further corrosion. Non-flammable.

**HMIS Ratings: H-2, F-1, R-0, P-B.**  
12–20 oz. cans/case. 18 oz. net wt.  
Private label only.

## 5690 - RUST RELEASE Lubricant, Foaming, Penetrating and Cutting Oil

RUST RELEASE provides effective lubrication in a variety of metalworking applications including cutting or machining carbon alloys, stainless steel, chrome steel, copper, aluminum, magnesium and bronze. The anti-friction properties prolong tool life. This fast penetrating product lubricates, displaces moisture, frees sticking parts, stops squeaks, rust and corrosion and provides long lasting protection. Loosens rusted parts. Lubricates door hinges, chains, hoists, pulleys, cranes, fork lifts, sprockets, gears, blocks and tackle, conveyors, construction machinery, industrial parts and locks. Areas of use include farms, oil rigs and refineries, bottling plants, dairies, paper mills, cotton gins, air conditioning, industrial plants, textile plants, lumber mills, cement plants and automotive/motorcycle/marine repair.

**HMIS Ratings: H-1, F-2, R-0, P-A.** 12–20 oz. cans/case. 16 oz. net wt.

## 5740 - SLICK PTFE and Moly Penetrating Lubricant

SLICK frees frozen parts, penetrates, prevents rusting, lubricates. PTFE continues to lubricate after application. Contains a corrosion preventative to protect metal parts. Use on wire cable, door hinges, chains, hoists, pulleys, cranes, fork lifts, sprockets, gears, blocks and tackle, conveyors, construction machinery, industrial parts and locks. Areas of use include farms, oil rigs and refineries, bottling plants, dairies, paper mills, cotton gins, air conditioning, industrial plants, textile plants, lumber mills, cement plants and automotive/motorcycle/marine repair. Sprays from any angle.

**HMIS Ratings: H-1, F-2, R-0, P-A.** 12–16 oz. cans/case. 12 oz. net wt.  
5750 — 12–20 oz. cans/case. 15 oz. net wt. Private label only.

## 5810 - ULTRA TAC High Pressure Penetrating Lubricant

ULTRA TAC is especially formulated to dispense as an oil-like lubricant designed to penetrate and lubricate. Sets up as a viscous, high impact grease, adding protection and heavy lubrication to the treated area. The unique formula contains PTFE which remains on surface, leaving a protective coating between lubrication periods. For use in garages, machine shops, industrial plants, construction sites, oil rigs, electronic repair shops, and marinas.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–20 oz. cans/case. 14 oz. net wt.

## 5970 - CHILL OUT Freezing Penetrating Oil

CHILL OUT combines rapid freezing and a special penetrating lubricant to easily loosen bound parts. Sprayed areas shrink and create openings to allow the lubricant to penetrate and open up the toughest bonds. Liberal application will loosen threads, tightened fitted parts, sliding and rotating parts, bolts, hinges and pins which have been “frozen” by corrosion. The formula will protect against renewed corrosion. Non-conductive, non-chlorinated, low VOC content. Sprays from any angle.

**HMIS Ratings: H-1, F-3, R-1, P-A.** 12–16 oz. cans per case. 9 oz. net wt.



## METAL TREATMENT

### 5290 - GALAVANT Silver Galvanize Coating

GALAVANT is designed to protect iron and steel surfaces from rust and corrosion. Its high zinc content assures maximum protection on metal surfaces. Dries quickly to a hard film containing 67% zinc dust. May be painted or left as final bright metal coating. Provides two way protection, first with the high zinc content protective coating, secondly with true galvanic action. Galvanic action is effective when surface is scratched or broken and moisture is present. Easy to apply. Compares to a hot dip galvanize when applied as a 3 mil thickness. Formulated for use in presence of moisture, salts and acids.

**HMIS Ratings: H-2, F-3, R-1, P-B.** 12–16 oz. cans/case. 14 oz. net wt.  
Private label only.

### 5540 - DEFENSE EF Metal Parts Protector

DEFENSE EF is a metal parts protector. Quickly coats metal parts, castings, cables, winches, pulleys, tools, dies, pipe threads, hoists, jigs and riggings. Gives indefinite indoor protection and long-lasting outdoor protection. Transparent amber color is easy to see through. Sets up to a hard yet flexible coating in 2 hours. To remove, use kerosene or mineral spirits. Weldable and paintable. Contains no chlorinated or fluorinated solvents. Great for use by industrial plants, oil rigs, pipe yards, heavy equipment, construction vehicles, boats, ships, trucks and cars. There are hundreds of applications for this product. Meets Mil Spec C-16173D, Grade 4 and C83933A.

**HMIS Ratings: H-1, F-3, R-1, P-B.** 12–16 oz. cans/cs. 12.5 oz. net wt.

### 5700 - QUIK-ZINC Galvanize Coating

QUIK-ZINC is a high quality, high solids, heavy-duty zinc coating designed to give superior corrosion protection. 93% pure zinc after drying. Protects ferrous metal from oxidation by bonding with it electrochemically. Prevents rust by galvanic action, dries to a flexible coating that bends without chipping. Can be used as a protective final coating or primer wherever iron or steel will be exposed to atmospheric or corrosive conditions. Areas of use include bus barns, refineries, pipe yards, oil rigs and industrial plants. For iron and steel surfaces, air conditioners, truck and auto fleets, automotive bodies, agriculture equipment, fences, metal roofs, metal buildings, metal fabricators, railroad equipment and marine equipment.

**HMIS Ratings: H-2, F-3, R-1, P-B.** 12–16 oz. cans/case. 14 oz. net wt.

### 5960 - REVIVE Rust Converter

REVIVE Rust Converter is the quick and mess-free way to treat rusted surfaces. Chemically converts rust to an inert black polymer based coating that prevents future rust from forming. Eliminates the need for brushing, sand-blasting or scraping before painting rusted surfaces. Once treated, surface may be left unpainted or may be painted for improved appearance and protection. Use on all rusted surfaces. Convenient spray can combines a unique fast drying carrier with special rust converting agents and a strong polymeric coating. Areas of use: machinery, industrial and farm equipment, marinas, tank yards, manufacturing plants, fencing, shipyards, metal buildings, tools, railroads and more.

**HMIS Ratings: H-2, F-4, R-1, P-B.** 12–20 oz. cans/case. 13 oz. net wt.

## COIL CLEANERS

### 5390 - SIDEWINDER Foaming Evaporator/Condenser Coil Cleaner

SIDEWINDER is formulated to penetrate and remove dirt and matted material quickly and easily from air conditioner coils and fins. No rinsing is re-

quired if applied in place to a functioning unit that produces moisture. The condensation produced will wash soil away from contacted surfaces, leaving the unit clean and deodorized. Rinsing is required on units that have been removed for repair or do not produce moisture during operation. An excellent product for air conditioners, central cooling systems, and auto air conditioners. For use in hotels/motels, homes, office buildings, air conditioner services and auto repair services. Sprays from any angle.

**HMIS Ratings: H-1, F-0, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

### 5410 - COBRA Evaporator/Condenser Coil & Fin Cleaner

COBRA is formulated to penetrate air-conditioner coils and fins to remove all types of soils. Upon contact with the surface of the coil, it acts to flush soil to the surface. Rinsing is unnecessary if applied in place to a functional unit that produces moisture. The moisture produced will rinse product from contacted surfaces. Rinsing is required on units that have been removed for repair or do not produce moisture during operation. An excellent product for air conditioners, central cooling systems, and auto air conditioners. For use in hotels/motels, homes, office buildings, air conditioner services, and auto repair services.

**HMIS Ratings: H-3, F-0, R-1, P-B.**  
12–20 oz. cans/case. 15 oz. net wt.

### 5430 - COPPERHEAD Foaming Coil Cleaner

COPPERHEAD is a powerful, thick clinging foam which removes dirt, lint and grease from air conditioner and heater coil fins. Portable aerosol features a strong directional spray which helps force foam into coil air spaces. Water-based foam creates no harsh vapors and leaves a fresh citrus scent. No rinsing required on evaporator coils or any other surface where condensation causes a rinsing action.

**HMIS Ratings: H-2, F-1, R-0, P-B.**  
12–16 oz. cans/case. 15 oz. net wt.

### 5470 - PYTHON EZ A/C CARE EPA Evaporator Coil Cleaner & Disinfectant

PYTHON EZ A/C CARE is a non-abrasive, one-step disinfectant cleaner for evaporator coils in small air conditioners, commercial air handling equipment, HVAC cooling coils and refrigeration equipment. Virucide, Mildewstat (on hard inanimate surfaces), Fungicide (against pathogenic fungi). Kills Legionella pneumophila. Effective against a wide variety of organisms. EPA registered for HVAC applications. Cleans and deodorizes. Cuts grease and grime without scrubbing. No rinsing required. For use in hotels/motels, homes, commercial buildings, air conditioner services and auto and RV repair services. Sprays from any angle.

**HMIS Ratings: H-1, F-0, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

## ADHESIVES

### 5850 - FUSION MAX High Solids Heavy-Duty Webbing Spray Adhesive



FUSION MAX is a waterproof adhesive. Use as a multi-purpose adhesive on all types of surfaces. Special fan tip allows for quick, easy application. Provides a light, quick tack, suitable for both temporary and permanent bonds. Dries quickly, yet remains flexible. High solids content yields higher bond strength. Use for both temporary and permanent bonds. Excellent on heavier materials. Low soak in. Use for bonding paper, wood, metal, leather, vinyl, fabrics, foam-to-foam, foam-to-fabric, sponge, polyethylene sheets and car headliners. Areas of use include

printers, industrial plants, shipping departments, schools, construction areas, auto upholstery repair shops and furniture manufacturers.

**HMIS Ratings: H-1, F-3, R-0, P-A.** 12–20 oz. cans/case. 12 oz. net wt.

### 5860 - FUSION AP Medium Solids Webbing Spray Adhesive

FUSION AP is a waterproof medium solids web spray adhesive. Provides both temporary and permanent bonds on a wide variety of surfaces. Special fan tip allows for quick, easy application. Provides a light, quick tack, suitable for both temporary and permanent bonds. Dries quickly, tacks fast, yet remains flexible. Excellent bond strength on uneven surfaces. Low soak in. Use for bonding paper, wood, metal, leather, vinyl, fabrics, foam-to-foam, foam-to-fabric, sponge, polyethylene sheets and car headliners. Areas of use include printers, industrial plants, shipping departments, schools, construction areas, auto upholstery repair shops and furniture manufacturers.

**HMIS Ratings: H-1, F-3, R-0, P-A.** 12–20 oz. cans/case. 12 oz. net wt.

## GREASE

### 5720 - BODACIOUS High Pressure, Non-Melt Red Grease

BODACIOUS is a high temperature, non-melting, inorganic red grease which withstands temperatures up to 375°F. Sprays out as a thick liquid which transforms into a grease in minutes. Penetrates, lubricates and prevents rust on all metal parts. A high pressure additive reduces wear and extends operating life of all parts and machinery. It prevents seizing and loosens frozen parts. Contains no fluorinated solvents, thus is more environmentally friendly than its traditional counterparts. Areas of use include farms, oil rigs and refineries, bottling plants, dairies, paper mills, cotton gins, air conditioning, industrial plants, textile plants, lumber mills, cement plants and automotive/motorcycle/marine repair. Due to VOC regulations, not available for sale in California and Utah.

**HMIS Ratings: H-2, F-3, R-0, P-B.**  
12–16 oz. cans/case. 12 oz. net wt.

5730 — 12–20 oz. cans/case. 15 oz. net wt. Private label only.

### 5770 - EZ LUBE Food Grade White Grease

EZ LUBE is a multi-purpose, high purity food grade lubricant that provides long lasting grease protection. Cured lubricant withstands heat to 550°F. Temperatures above 400°F may require periodic reapplication. For use on: chains, winches, conveyors, gears, cables, hinges, pins, levers, rollers, ovens, dryers, threads, bearings, O-rings, linkages, pumps and valves. For use by: bakeries, bottlers, breweries, canneries, dairies, egg processors, meat and poultry processors, pharmaceutical manufacturers and food processing and packaging plants. NSF approved H-1.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–16 oz. cans/case. 10 oz. net wt.

### 5790 - BIG RED VOC Compliant Non-Melt Spray Grease

BIG RED is a cured lubricant that withstands heat to 350°F, moisture, acids, high pressure and is highly rust resistant. This 50 state VOC compliant formula provides superior lubrication while forming a thick, long-lasting film to prevent future corrosion. A high pressure additive reduces wear and prolongs operational life of all machinery. Temperatures above 350°F may require periodic reapplication. Red color provides easy visual inspection. This lubricant is great for use on chains, winches, conveyors, gears, cables, tools, hinges, bushings, pins, levers and rollers. For use in all areas of industrial maintenance.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–20 oz. cans/case. 14 oz. net wt.

### 5830 - SAFE BET Multi-Purpose, Penetrating Lithium Spray Lubricant

SAFE BET is a multi-purpose lubricant, penetrant and rust preventative that changes from a fluid to become a tough, protective grease in minutes. Ideal



for hard to reach areas on all door hardware and operator drive mechanisms. Once grease has set up it will outlast any regular oil or silicone. Areas of use include hinges, operators, rollers, open gears, track, roller chain drives, springs, tools, cable and screw type drives. 50 state VOC compliant.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–20 oz. cans/case. 13.5 oz. net wt.

## CONTACT CLEANERS

### 5140 - UNPLUG

#### Contact and Circuit Board Cleaner

UNPLUG is a highly effective blend of fast drying, non-conductive solvents and is safe to use on plastics, rubber and metal. Quickly removes oil, grease, dirt and grime from circuit boards, computers, magnetic tapes, gauges, switches, relays, electronic motors and parts, metal surfaces, TV tuners, typewriters. Does not contain CFC's or HCFC's and is ozone safe. This product is extremely flammable and must only be used on equipment that has been de-energized. It also must be allowed to dry and fumes evacuated from equipment before re-energizing. Can be used by offices, factories, machine shops, industrial plants, schools and hospitals. Sprays from any angle. Due to VOC regulations, this product is not available for sale in California, Connecticut, Maryland, Ohio, Pennsylvania, New Jersey, Massachusetts, Maine, Michigan and Utah.

**HMIS Ratings: H-1, F-3, R-1, P-B.** 12–16 oz. cans/cs. 11 oz. net wt.  
5150 — 12–20 oz. cans/case. 14 oz. net wt. Private label only.

### 5149 - UNPLUG II

#### Contact and Circuit Board Cleaner

UNPLUG II has the same properties and applications as UNPLUG, but is VOC compliant in all 50 states.

**HMIS Ratings: H-1, F-3, R-1, P-B.** 12–16 oz. cans/case. 11 oz. net wt.  
Private label only.

### 5240 - UPPER CUT

#### Electrical and Electronic Contact Cleaner & Degreaser

UPPER CUT is a high purity, high dielectric, rapidly evaporating, non-flammable aerosol spray contact and circuit board cleaner. Specially formulated for removing oil, grease, condensation, dust and other particulate matter from sensitive electronic parts. Quick drying formula will not harm most plastics, paints or rubbers. This solvent system has tested safe on Neoprene, Buna, Silicone, Butyl and Natural Rubber, Nylon, Hypalon®, PTFE, PVC, Polyurethane, Polystyrene, Polyethylene, Polypropylene, Epoxy and ABS.

**HMIS Ratings: H-1, F-1, R-0, P-B.**  
12–16 oz. cans/case. 14 oz. net wt.

### 5250 - LEFT HOOK

#### Electronic Cleaner

LEFT HOOK is a high purity, high dielectric, rapidly evaporating, non-flammable spray specially formulated for removing oil, grease, condensation and other contaminants from sophisticated electronic parts. Ideal for removing grease and dirt from sensitive electronics, televisions and telephone equipment. Contains no citrus oil. Low odor. Quick drying formula will not harm Neoprene, Buna, Silicone, Butyl, Natural Rubber, Hypalon, PTFE, Styrene, Polystyrene, Polyethylene, Polypropylene, Epoxy, ABS, Nylon, PVC and Polyurethane.

**HMIS Ratings: H-1, F-1, R-1, P-B.** 12–16 oz. cans/case. 10 oz. net wt.

### 5480 - PCA

#### Precision Electronic Cleaning Agent

PCA cleans grease, oil, dirt, moisture and flux from circuit boards, motors, film, relays, ignition switches and other precision equipment. This n-propyl bromide formula is non-flammable, non-conductive, residue-free and safe on most plastics. If unsure of application, test in an inconspicuous area first. Excellent where chlorinated or fluorinated solvents cannot be used. 14,000 volt dielec-

tric. Evaporates quickly. Uses include communications industry, aeronautics, electricians, information technology, mechanics, and electronics repair. Due to VOC regulations, this product is not available for sale in California, Connecticut, Maryland, Pennsylvania, New Jersey, Ohio, Massachusetts, Maine, Michigan and Utah.

**HMIS Ratings: H-2, F-2, R-0, P-B.** 12–16 oz. cans/case. 12 oz. net wt.

### 5489 - PCA II

#### Precision Electronic Cleaning Agent

PCA II has the same properties and applications as PCA, but is VOC compliant in all 50 states.

**HMIS Ratings: H-2, F-2, R-0, P-B.** 12–16 oz. cans/case. 12 oz. net wt.  
Private label only.

## SPECIALTY

### 2050 - CHARGE

#### Condensate Drain Cleaner

CHARGE is a natural solvent-based product designed to clear clogged drains and condensate drain lines. The high pressure spray through the 18" tube permits quick penetration directly to the source of the problem. Begins working immediately to flush algae, slime, hair and organic matter. Non-acid, non-caustic and contains no chlorinated solvents. Lessens need for expensive service calls to unclog drains. Harmless to plumbing and disposals. Leaves a pleasant citrus fragrance. Works great in showers, bathtubs, drain lines, grease traps and drains. Excellent for use in industrial plants, schools, hotels/motels, restaurants and janitorial services.

**HMIS Ratings: H-1, F-2, R-0, P-B.** 12–20 oz. cans/case. 16 oz. net wt.

### 2155 - BACK DOWN

#### Protective Barrier

Specially formulated wax to keep snow, slush and ice from sticking to snow removal equipment, plows, snowmobiles, snowblowers, ski equipment, snow shovels and more. Can also be used on the underside of lawn mowers, weed eaters, hedge trimmers, rototillers and other lawn maintenance equipment to prevent grass clipping and dirt build-up, clogging and wear-and-tear. Helps blades stay sharper longer, making equipment last longer. Creates a barrier to protect metal, fiberglass, plastic and painted surfaces from build-up and damage.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–16 oz. cans/case. 11 oz. net wt.

### 5520 - SLIP-NOT

#### Belt Dressing

SLIP-NOT Belt Dressing is a resin based spray. Designed specifically to reduce slippage of all types of power belts whether round, flat or V. Compatible with fabric, leather or rubber belts. Also helps clean and prolong belt life. Areas of use include construction areas, industrial plants, factories and homes. Sprays from any angle.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–16 oz. cans/case. 12 oz. net wt.

### 5580 - RUTHLESS

#### Paint Remover

RUTHLESS is a gel base paint remover. Penetrates deep to remove paint, epoxy paint, lacquer, shellac, enamel, varnish, labels, carbon deposits, silicone, simulated wood paneling and similar materials from all surfaces. Washes off with water or solvent. Safe to use on metal, brick, ceramic, wood and tile surfaces. Clings to vertical surfaces, allowing longer contact time. Areas of use include auto dealers, paint shops, factories, schools, farms, oil rigs, bottling plants, other industrial facilities.

**HMIS Ratings: H-3, F-2, R-0, P-B.** 12–16 oz. cans/case. 13 oz. net wt.  
5590 — 12–20 oz. cans/case. 18 oz. net wt. Private label only.



## 5780 - SENTRY Spatter Guard

SENTRY SPATTER GUARD anti spatter prevents sticking of slag and spatter on metal surfaces. Contains no silicone which can weaken welds and prevent paint from adhering to welded surfaces. Leaves surface paintable once rinsed with water. Quickly evaporates. Contains a non-flammable solvent carrier for extra safety. Prolongs life of welding parts and equipment. Use for welded parts, fixtures and MIG gun nozzles and tips. Areas of use include welding shops, industrial plants, automotive shops.

**HMIS Ratings: H-2, F-1, R-0, P-B.** 12–16 oz. cans/case. 16 oz. net wt. Private label only.

## 5840 - KWIK KOOL Cutting Tool Coolant and Lubricant

KWIK KOOL is a solvent based cooling fluid for cutting, tapping, lathing, threading and reaming tools. Lubricates and cools to extend the life of the tool and/or metalworking equipment. Excellent cooling action allows higher speeds to increase production. Contains foam control ingredients for high agitation operations and rancidity control ingredients to ensure long fluid life. Reduces friction in threading, drilling, tapping and reaming applications, thereby reducing heat produced. Non-flammable. Contains no carbon tetrachloride, nitrate or sulfur. For use in general purpose grinding and machining jobs on ferrous and non-ferrous metals. Use in industrial plants; machine, automotive and metalworking shops; aircraft manufacturers; welding services; oil rigs.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–16 oz. cans/case. 12 oz. net wt.

## 5880 - SURROUND Cold Pipe Insulation Spray

SURROUND is a convenient, ready to use spray-on pipe insulator. Dries to a hard, white, durable, stipple-effect coating that can be painted or primed when dry. Prevents sweating and dripping on pipes and other cold surfaces. Insulates water tanks, gutters, toilet tanks, etc. Repairs wrap-around style insulation. For use on cold water pipes, valves and fittings, metal gutters, refrigeration lines, condenser lines and water tanks. Adheres to galvanized, black iron, steel, brass, copper and PVC piping. Non-flammable when dry. Suggested temperature range is 32°–130°F. Areas of use include air conditioning maintenance, aircraft maintenance, industrial operations, food plants, refrigeration trucks, cold storage lockers, shipping operations, kitchens and indoor ice rinks.

**HMIS Ratings: H-2, F-2, R-0, P-B.** 12–20 oz. cans/case. 18 oz. net wt.

## 5910 - WONDER Acoustical Ceiling Tile Restorer (White)

WONDER is a unique clay-based restoring system for acoustic ceiling tiles. Permanently bonds to surface without compromising acoustical sound absorption or fire retardant value. Covers water stains, smoke and fire damage, graffiti, paint, ball point ink, permanent marker and rusting nail heads, avoiding the need for costly replacement. Leaves a clean, white coating that adds years to tile life. Also works as a non-bleeding primer/sealer for sign painters, a non-grain-raising primer for new wood, a base coat for wallpaper or vinyl wall coverings and as a base coat for galvanized metal. Economical—one can covers 12 to 15 (2'x4') tiles or 120 square feet. Areas of use include sign shops, fire and water damage restoration services, make-ready companies, office maintenance personnel, metal workers and woodworkers.

**HMIS Ratings: H-2, F-3, R-0, P-B.** 12–16 oz. cans/case. 12 oz. net wt.

## 5990 - ARCTIC GEL Heat Dissipating Spray

ARCTIC GEL is a heat sink especially designed for brazing. Arctic Gel protects valves, controls and surrounding areas from heat damage. Simply spray on surrounding areas or completely encircle copper tubing to prevent heat transfer.

**HMIS Ratings: H-1, F-0, R-0, P-B.** 12–20 oz. cans/case. 16 oz. net wt.

# AUTOMOTIVE

## 2510 - OUT OF SIGHT Foaming Carpet Spot and Stain Remover

OUT OF SIGHT dissolves grease, dirt and oil-based stains. Actually digests protein and organic soils and stains such as blood, cosmetics, urine, fecal matter, coffee, Kool-Aid®, ink, wine, iodine, spoiled foods, vomit, pet stains, mildew, etc. Recommended for spot cleaning carpets, upholstery, textiles, vinyl, leather and synthetics.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt.



## 2620 - SHOWTIME Invisible Coating & Bug Shield

SHOWTIME cleans, shines and protects plastic, leather, acrylic, plexiglas, lexan, chrome, fiberglass and paint. Dries quickly and buffs to a streak free finish. Invisible protective coating protects surfaces and repels dirt, dust, fingerprints, smudges and bugs. Resists scratching and marring of surfaces. Repels water, is odorless, prevents fogging and is non-abrasive.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–16 oz. cans/case. 14 oz. net wt.

## 3295 - RE-FRESH Auto Air Conditioner Freshener

RE-FRESH quickly and effectively removes foul, musty odors from automobile air conditioning systems by killing odor-producing organisms. Powerful deodorizers keep automobile interiors smelling fresh and clean. EPA registered. Controls odors from mold, mildew, food, ashtrays and fungus. Use in cars, trucks, buses, RVs, boats, planes and more. For use by car dealerships, car rental businesses, auto repair shops.

**HMIS Ratings: H-1, F-2, R-1, P-A.** 12–20 oz. cans/case. 16.5 oz. net wt.

## 8000 - DE-ICE Frost and Ice Remover

DE-ICE quickly melts ice, frost and snow from windshields, windows, steps, door locks, ignition locks, trunk locks, headlights, tires and side-walks. Helps prevent ice and frost formation on windows and windshields when sprayed prior to freeze. Will not harm paint, cloth, metal, rubber, glass and plastic. No residue to impair visibility.

**HMIS Ratings: H-3, F-3, R-1, P-B.** 12–16 oz. cans/case. 12 oz. net wt.  
8010 — 12–20 oz. cans/case. 16 oz. net wt. Private label only.



## 8020 - OFF Carburetor and Choke Cleaner

OFF is a product formulated for use on all types of carburetion and PCV systems in automobiles, buses, trucks and industrial equipment. Cleans and frees choke linkages, moving parts on carburetors and PCV valves. Removes grease, carbon deposits, oil, gumming and other materials. Fast drying. Leaves no film. Safe on oxygen sensors and catalytic converters.

**HMIS Ratings: H-2, F-3, R-1, P-B.** 12–16 oz. cans/case. 13 oz. net wt.

## 8040 - FINISHING TOUCH Foaming Tire Shine

FINISHING TOUCH cleans, protects and leaves a wet looking shine—all in one easy step. Clinging foam dissolves dirt and road grime and floats it away, leaving a beautiful, wet looking, long lasting shine. No wiping or scrubbing is needed. Can sprays upside down and right side up for ease of use at any angle. Will not harm wheels or wheel covers. Note: Excessive soil buildup should be removed by rinsing or brushing tire prior to use. For use on trucks, buses, au-

tomobiles, motor homes and motorcycles. Areas of use include automobile dealers, detail shops, car washes, repair shops and recreational vehicle dealers. Sprays from any angle.

**HMIS Ratings: H-1, F-1, R-0, P-A.** 12–20 oz. cans/case. 15 oz. net wt.

## 8050 - SHINE ON

### Tire Shine

SHINE ON gives dull, dry-looking tires new life. Leaves an invisible, wet-looking shine that lasts through multiple washes. Keeps new tires looking their best and rejuvenates older tires to a like-new, deep, wet-looking shine. So easy to apply, just spray on and walk away—no buffing required. Can sprays from any angle—even upside down. Shine On keeps tires looking blacker longer while preventing cracking, browning and premature aging.

**HMIS Ratings: H-2, F-3, R-0, P-B.** 12–20 oz. cans/case. 12 oz. net wt.

## 8090 - NOCHLOR

### Non-Chlorinated Brake Parts Cleaner

NOCHLOR combines powerful flushing action and a high solvency formulation to make cleaning brake linings, drums, disc pads and most other metal parts faster and easier. Removes brake fluid, oil, grease and other contaminants instantly. Evaporates quickly, leaving no residue. Contains no ozone depleting solvents. For use on automobiles, trucks, buses, disc rotors, brake linings, fork lifts, motorcycles, brake parts, brake drums, brake pads and other heavy equipment.

**HMIS Ratings: H-1, F-3, R-0, P-B.** 12–20 oz. cans/case. 14 oz. net wt.

## 8100 - COMMAND

### Auto Polish

COMMAND is a unique aerosol polish for truck, automobile and marine finishes. This polish produces a deep, high-gloss finish and will not harm even the finest automobile finishes. Protects with carnauba wax and PTFE. Makes waxing fast and easy. Simply spray on, allow product to haze and buff to a high-gloss durable finish. One can polishes up to three automobiles or one bus. For use on trucks, buses, automobiles, boats, motor homes, jet skis, snowmobiles and motorcycles. Also use to polish elevator doors, aluminum, stainless steel and chrome. Areas of use include automobile dealers, make-ready shops, auto repair shops and recreational vehicle dealers.

**HMIS Ratings: H-1, F-3, R-0, P-A.** 12–16 oz. cans/case. 11 oz. net wt.

## 8230 - DETECT

### Battery and Terminal Cleaner

DETECT Battery and Terminal Cleaner cleans and neutralizes acid on terminals and cables of batteries. A color indicator is provided with the product to detect acid leaks. Product turns red on contact with battery acid. Detect eliminates corrosion buildup, prolonging battery life and effectiveness. Severe corrosion may require light brushing.

**HMIS Ratings: H-1, F-1, R-1, P-A.** 12–20 oz. cans/case. 18 oz. net wt.

## 8240 - THUNDER

### Organic Foaming Engine Degreaser

- Cleans gasoline and diesel engines, metal, concrete, brick and stone
- POWERFUL spray dissolves oil, tar, grease, dirt, stains and road oil

THUNDER is safe and washes off with water. This product is safe and easy to use. Dense foam allows product to cling to vertical surface allowing for longer contact time. Cleans engines enabling them to run cooler, look better and last longer. Biodegradable and VOC compliant in all states.

**HMIS Ratings: H-1, F-1, R-0, P-B.**

12–20 oz. cans/case. 17 oz. net wt.

## 8250 - CRUNCH

### Engine Degreaser

CRUNCH is a concentrated blend of organic solvents in a gel base which allows it to cling to vertical surfaces. Works quickly to penetrate and emulsify tar, asphalt, grease and oil. Safe, easy to use, just spray on and wash off with water. Does not contain petroleum distillates. Areas of use include



automobile dealers, machine shops, industrial manufacturing, factories, fleet maintenance shops and marine equipment.

**HMIS Ratings: H-1, F-2, R-0, P-A.**

12–20 oz. cans/case. 16 oz. net wt.

## 8260 - VROOM

### Starting Fluid

VROOM is designed to aid gasoline and diesel engines with quick and easy starting power in cold, wet or freezing weather. Prevents excessive battery drain. Functions after use as a corrosion inhibitor and upper cylinder lubricant. Note: Do not use this product on glow plugs. For use on all automobiles, trucks, lawn mowers, boats, chainsaws, tractors and other motors. Areas of use include machine shops, auto repair shops, truck stops, marinas, lawn mower repair shops and company fleet shops.

**HMIS Ratings: H-2, F-4, R-2, P-B.**

12–16 oz. cans/case. 10.7 oz. net wt.

## FOODSERVICE

### CARBON-OFF!®

#### Heavy-Duty Carbon Remover

CARBON-OFF!® is a powerful gel that dissolves carbon buildup from metal surfaces. Spray or brush on, let set 15 minutes to overnight, depending on the amount of buildup to be removed, then rinse under cold water with a brush or scrubbing pad. Also available in a dip tank solution for repeated treatment of multiple utensils. CARBON-OFF!® works quickly and easily saving time and labor. SAFE ON ALUMINUM. Due to VOC regulations, not available for sale in California and Utah.

#### Removes baked on carbon from:

- Metal Surfaces
- Stainless Steel
- Chinese Woks
- Roasting & Sheet Pans
- Nickel Steel
- Brass
- Waffle Bakers
- Popcorn Kettles
- Broilers
- Deep Fryers
- Barbecue Grills
- Pots & Pans
- Stove Parts
- Rotisseries

**HMIS Ratings: Aerosol—H-2, F-3, R-0, P-B; Liquid—H-2, F-1, R-0, P-B.**

Available in: Pint, quart and gallon cans, standard dip tanks and 20 oz. aerosol cans. 19 oz. net wt.

- 106190001-20AR Carbon-Off** 6/20 oz. Aerosol Cans
- 109190001-20AR Carbon-Off** 9/20 oz. Aerosol Cans
- 11219DC01-DISP Carbon-Off** 12/20 oz. Cans in Counter Display Case
- 112160001-16OZ Carbon-Off** 12 x 1 Pints
- 106320001-32QT Carbon-Off** 6 x 1 Quarts
- 101010001-11GL Carbon-Off** 1 x 1 Gallon
- 101020001-21GL Carbon-Off** 2 x 1 Gallons
- 10102DTS1-21GL Carbon-Off** 2 x 1 Gallons (Dip Tank Solution)
- E90000000-TANK Standard Dip Tank (35 gal.)**  
Inside - 26.5"L x 10.25"W x 22.5"H  
Outside - 30.75"L x 14.25"W x 28.25"H
- E90000000-RACK Drain Rack for Dip Tank**

### BRITE SHINE™

#### Stainless Steel Cleaner & Polish

BRITE SHINE™ is a unique, mineral oil-based cleaning and polishing formulation in which every ingredient is of food grade or other high quality. It has less than 15% Volatile Organic Compounds (VOC's). Quickly cleans, restores and prolongs luster of metal surfaces. Easy to use. Contains no acids, alkalis, abrasives or heavy creams. Leaves behind a protective coating which resists finger marking and smudges. Contains no CFC's, chlorinated solvents, 1,1,1-Trichloroethane or Hexane.

**HMIS Ratings: Aerosol—H-1, F-3, R-0, P-A; Liquid—H-1, F-1, R-0, P-A.**

Available in quarts, gallons, 6/40 wipes and 16 oz. aerosol cans. 11 oz. net wt.

<b>140611001-16AR</b>	<b>Brite Shine</b>	6-16 oz. cans
<b>141211001-16AR</b>	<b>Brite Shine</b>	12-16 oz. cans
<b>141611DC1-DISP</b>	<b>Brite Shine</b>	16-16 oz. cans in Counter Display Case
<b>140632001-32QT</b>	<b>Brite Shine</b>	6 x 1 Quarts
<b>140104001-41GL</b>	<b>Brite Shine</b>	4 x 1 Gallons
<b>140406001-035D</b>	<b>Brite Shine Wipes</b>	

## 2031 - NU-VIEW

### Concession and Food Equipment Cleaner

NU-VIEW removes cooking oils, grease, sugar, starch and protein residues. Unique formula eliminates oxidation odors and cleans all types of food equipment, including popcorn poppers, hot dog boilers, nacho chip warmers, slicing machines, soft servers and stoves. Powerful degreasers cling to vertical surfaces, making clean-up fast and efficient. Safe on plexiglas, formica, aluminum, stainless steel, painted metals and plastics. Great in convenience stores, carnivals, stadiums and arenas. Meets NSF H-1 Standards.

**HMIS Ratings: H-1, F-1, R-1, P-B.**

6-20 oz. cans/case. 18 oz. net wt.

2030 — 12-20 oz. cans/case. Private label only.



## FOAM PLUS™

### Super Cling Oven, Grill, Fryer & Rotisserie Cleaner

FOAM PLUS™ is highly concentrated to remove carbon grease from ovens, grills and rotisseries. Clings to vertical surfaces. For use on range tops, pizza ovens, steam jacket kettles and conveyor ovens. FOAM PLUS™ does not generate the airborne caustics found in ordinary aerosol oven cleaners. Safe for use on stainless steel, porcelain, mild steel, ceramic, glass and brick.

**HMIS Ratings: Liquid—H-2, F-0, R-1, P-B; Aerosol—H-3, F-1, R-1, P-B.**

Available in quarts, gallons and 20 oz. cans. 19 oz. net wt.

<b>206190001-20AR</b>	<b>Foam Plus</b>	6-20 oz. cans per case
<b>21219DC01-DISP</b>	<b>Foam Plus</b>	12-20 oz. cans in Counter Display Case
<b>212320001-32QT</b>	<b>Foam Plus</b>	12 x 1 Quarts
<b>201040001-41GL</b>	<b>Foam Plus</b>	4 x 1 Gallons

## 264802 - KETTLE TABS™

### Popcorn Kettle Boil-Out Cleaner

KETTLE TABS™ are a concentrated popcorn kettle cleaner with no chlorinated solvents, toxic fumes or odors. No messy powders to measure and handle. Makes boil-outs quick, accurate and easy. They are pre-portioned to assure cost-effective and perfect results each and every time. Kettle Tabs are a specially formulated, heavy-duty, low foaming agent designed to meet the toughest cleaning conditions in any popcorn kettle. Using Kettle Tabs™ will enhance the taste and quality of your popcorn.

**HMIS Ratings: H-3, F-0, R-1, P-B.** 48-2 oz. tablets (6 boxes of 8 ea.)

## 30104 - HOT SPRAY™

### Oven, Grill, Fryer and Rotisserie Cleaner

HOT SPRAY™ is a spray-on oven and grill cleaner to be used on warm surfaces—180°F to 200°F. Effective on most metal and glass surfaces. Fast acting—cleans instantly—no toxic fumes or odors. Removes daily burned-on grease from ovens, range tops, pizza ovens, conveyor ovens, steam jacket kettles, grills and deep fryers.

**HMIS Ratings: H-2, F-0, R-1, P-B.** Available in 4 x 1 gals.

## 40104 - FRYER BOIL-OUT™

### Deep Fryer Cleaner Liquid

FRYER BOIL-OUT™ is a heavy-duty high alkaline detergent formulated to meet the toughest cleaning tasks. Fryer Boil-Out™ has excellent cleaning capacity and high soil, fat and grease tolerance. Fryer Boil-Out™ increases food quality and taste. Is non-flammable, has no chlorinated solvents and leaves no toxic fumes or odors.

**HMIS Ratings: H-2, F-0, R-1, P-B.** Available in 4 x 1 gals.

## FRYER PUCK®

### Fryer Boil-Out Deep Fryer Cleaner Tablets

FRYER PUCK® concentrated cleaner tablets are a low foaming, heavy-duty detergent formulated to meet the toughest cleaning jobs. Pre-measured tablets help reduce foam and boil over, avoiding a mess to clean up. They have excellent cleaning capacity and high soil, fat and grease tolerance. Fryer Puck tablets increase food quality and taste. Specifically formulated to clean french fryers, gas fryers, tortilla chip fryers, electric fryers, deep fryers, donut fryers, counter top fryers and pressure cookers.

**HMIS Ratings: H-3, F-0, R-1, P-B.** 4 oz. tablets.

<b>401304001-30PK</b>	<b>Fryer Puck</b>	30 Tablets (6 boxes of 5 ea.)
<b>401304DC1-DISP</b>	<b>Fryer Puck</b>	30 Tablets in Counter Display Case (6 boxes of 5 ea.)
<b>401404001-DISP</b>	<b>Fryer Puck</b>	40 Tablets in Counter Dispenser

## 60104 - ALL KLEEN™

### Heavy-Duty Hood Cleaner & Degreaser

ALL KLEEN™ is a heavy-duty, concentrated cleaner and degreaser, useful for a wide variety of industrial, commercial, and institutional cleaning jobs. Use to clean vent hoods, fans, blowers, appliances, burners, etc. Cleans filters, fan blades, condenser coils, and compressors of air-conditioning equipment. Use various dilutions to remove lipstick, crayon, blood stains and black heel marks. Also cleans rings, combs, and eyeglasses. Removes stains from carpets. Wonderful on white sidewall tires, vinyl upholstery in cars, and as a pre-spotter for heavily soiled laundry. Rinse after cleaning.

**HMIS Ratings: H-1, F-0, R-1, P-B.** Available in 4 x 1 gals.

## POWDER

### P303 - INFERNO

#### Municipal Sewer Compound

INFERNO is a powerful chemical compound made for MUNICIPALITIES. When activated by water this product will generate heat, generate agitation, emulsify grease, emulsify oil, attack roots and digest paper. This highly effective compound provides deep penetration, is non-corroding, will attack hardened detergents and contains a highly visible tracing color. Excellent for use in drain pipes and sewage lines. For use in schools, institutions, restaurants, factories, hotels/motels and municipalities.

**HMIS Ratings: H-3, F-0, R-0, P-D.** Available in 50 lb. pails.

## EQUIPMENT

E92500001-DISP	Hand cleaner dispenser for 4.5 lb. container
E92600001-TRIG	Trigger sprayer for 22 oz. bottle - regular
E92700001-CHEM	Trigger sprayer for 22 oz. bottle - chemical resistant
E92800001-BOTL	22 oz. plastic bottle
925011001-30PK	The Magician - Two layers of Melamine separated by a durability strip
E92900001-WDSP	Express Wipes dispenser, fits all except 642, 652 and 656
925015001-12PK	The Sorcerer - Two layers of Melamine, a durability strip layer, w/velcro backing
E93100001-SRPH	The Sorcerer Utility Pad holder
E93200001-WDSP	Express Wipes dispenser, fits 656
E93500001-1KDP	Dispenser for Ovation, Smart Sudz, Applause, 1000 mL
E93700001-MDSP	Deluxe Metered Aerosol Dispenser Fully programmable
E93800001-MDSP	Basic Metered Aerosol Dispenser Dispenses every 15 minutes
E10000045-XROD	Fire Ant Mound Injector for use with 4260
E10000046-GGUN	Grease Gun (for use with tubes)

# INDEX

## LIQUIDS

### CLEANERS & DEGREASERS

Zip	3
Dynamite	3
Power Solv	3
Getaway	3
Maxi Glo	3
Cleaner Degreaser	3
Palmer Pine	3
Orange Solv Plus	3
Unplug	3
Hi Point	4
Quikleen II	4
Tar Away	4

### CLEANING AIDS

Blue Magic	4
Radiance	4
Gleam	4
Tufstuff	4
Vizol 26	4
PT-100	4
Grip	4
Bang!	5
Pink Dishwash	5
Open Up	5
Tackle	5
Skidew	5

### ENZYMES

Earth Scents	5
Digest Plus	5
Drain Demon	6

### DISINFECTANTS/DEODORANTS

Germ Away	6
Fiesta RTU Mulberry	6
QD-64	6
Encore	6
Final Quat	6
Cherry Counteractant	6
Germ Aside	7
Predator	7
Spring Mist Counteractant	7
Thrift-O	7
Fiesta Mulberry	7

### INSECTICIDES/HERBICIDES

Double Trouble	7
Lights Out	7
Adios	8

### HAND CLEANERS/SOAPS

Barricade	8
Citrus Soft	8
Citrus Rough	8
Thick N' Sudsy	8
Soothe	8
Grit	8
Whole Shebang	8
Applause	8
Ovation	9
Smart Sudz	9

### CARPET & FLOOR CARE

Velva Sheen	9
Gone	9
Lightning	9
No Rinse	9
Extracto	9
No Foam	9
Pro Kote	9
Deep Gloss 18	10
Quik Kote	10

### AUTOMOTIVE

Fuel Guard	10
Fleetmaster	10
Protek	10

### GREASES AND LUBRICANTS

Moly Tuff	10
Big Red	10
Mr. Green	10
Mr. Blue	10
Big Green	11
Mr. Joe	11
EZ Lube	11
Surrender	11
Kopper Lube	11
Hydraulic Oil 10W40	11
Red Universal Gear Oil 80W90	11
Red Universal Gear Oil 85W140	11
Green Universal Gear Oil 85W140	11

### EXPRESS WIPES

Multi-Purpose Hand Cleaner	11
Graffiti Remover	11
Germ Away	12
Hand Sanitizer	12
Sheen Glass Cleaner	12
Vinyl & Rubber Protectant	12
Industrial Grade Hand Cleaner	12
Stainless Steel Polish & Cleaner	12
Sani-Clean All Surface Cleaner	12
Beat-It Insect Repellent	12

### GREENSCAPES

Cleaner & Degreaser	12
HD Glass & Multi-Surface Concentrate	13
Concentrated Neutral Cleaner	13
Bathroom Cleaner	13
Oxygenated Cleaner & Degreaser	13

### INDUSTRIAL MAINTENANCE LIQUIDS

<b>LUBRICANTS</b>	
Moli-Guard	13
Pierce	13
MC-Free	13
Loose Screw	13

### COIL CLEANERS

Cobra	14
Rattler	14

### METAL TREATMENT

Defense	14
HD-50	14
Restore	14

### SPECIALTY

Liquefire	14
Up and Away	14
Ruthless	14
Buoy	15
99% Isopropyl Alcohol	15
Denatured Alcohol	15
Purity	15
Scale-A-Way	15
Trailerbrite	15
Bubbly	15
Clean Ice	15
Shiny Nickel	15

### AEROSOLS

#### GENERAL PURPOSE CLEANERS

Wham	15
Rescue	16
Kleen All	16
Sheen	16
No Mischief	16
Graffiti Gone	16
Tag Breaker	16
Top	16
Tufstuff	16
Dust-B-Gone	16
Kleen Screen	16

#### POLISHES

Lemon Luster	16
Sleek	17
Sparkle	17
Shimmer	17

Brilliance	17
------------	----

### CARPET/UPHOLSTERY/FLOOR CARE

Velva-Sheen	17
Freze-It	17
Breakdown	17
Enzo Magic	17
Strip-Eze	17
Gone	17
Presto	17

### DISINFECTANTS

Germ Away	18
Phenomenal Fogger	18
Phenomenal	18
Staf	18

### AIR FRESHENERS & DEODORIZERS

Total Release Odor Eliminators	18
Jelled Deodorizers	18
Dry Deodorizers	18
Metered Air Fresheners	19

### INSECTICIDES/HERBICIDES

VS 102	19
CS 101	19
Stormtrooper	19
On Time	19
Bug Ban	19
Fogasol II	19
Stomp	19
Shooter	20
Smoke 'Em	20
Dynamo	20
Doom	20
Eradicator	20
Bug Ban Plus	20

### INDUSTRIAL MAINTENANCE AEROSOLS

#### DEGREASERS

d-Greaz	20
Quik Solv	20
A.F.D.	21
Big Orange	21
Tar Blitz	21
Soy That Again?	21
Quikleen II	21
Electro-Clean	21
Kick Off	21
Jett Spray	21
Crash	21
Tough Guy	21
Pad Kleen	22

#### LUBRICANTS

MC-Free	22
Kopper Lube	22
Mr. Mechanic	22
Aqua-Lub	22
Sili Lube	22
Slide Out	22
Purity	22
Gear Lube EF	22
Moli-Guard	23
Surrender EF	23
Micro-Dry	23
Nuchain	23

#### PENETRANTS

Pen Ease	23
Loose Screw	23
Genesis	23
Pierce	23
Outbreak	24
Rust Release	24
Slick	24
Ultra-Tac	24
Chill Out	24

#### METAL TREATMENT

Galavant	24
Defense EF	24
Quik Zinc	24

Revive	24
--------	----

### COIL CLEANERS

Sidewinder	24
Cobra	25
Copperhead	25
Python EZ A/C Care	25

### ADHESIVES

Fusion Max	25
Fusion AP	25

### GREASE

Bodacious	25
EZ Lube	25
Big Red	25
Safe Bet	25

### CONTACT CLEANERS

Unplug	26
Unplug II	26
Upper Cut	26
Left Hook	26
PCA	26
PCA II	26

### SPECIALTY

Charge	26
Back Down	26
Slip Not	26
Ruthless	26
Sentry	27
Kwik Kool	27
Surround	27
Wonder	27
Arctic Gel	27

### AUTOMOTIVE

Out of Sight	27
Showtime	27
Re-Fresh	27
De-Ice	27
Off	27
Finishing Touch	27
Shine On	28
Nochlor	28
Command	28
Detect	28
Thunder	28
Crunch	28
Vroom	28

### FOODSERVICE

Carbon-Off!	28
Brite Shine	28
Nu-View	29
Foam Plus	29
Kettle Tabs	29
Hot Spray	29
Fryer Boil-Out	29
Fryer Puck	29
All Kleen	29

### POWDER

Inferno	29
---------	----

### EQUIPMENT

	29
--	----